


RALEIGH ²⁰⁰⁶ Bicycles




Enjoy the ride.

A full-page background image showing the silhouettes of three cyclists riding on a road. The sun is low on the horizon, creating a bright glow behind the riders. The cyclist in the foreground is partially cut off on the left. The other two are further back, riding in a line. The sky is a clear, pale blue.

CONTENTS

-  p.2 Performance Comfort Road
-  p.10 Road Recreation
-  p.16 Track/SS
-  p.20 FlatBar Road
-  p.24 Hybrid
-  p.30 Full Suspension
-  p.34 Hardtail
-  p.42 Comfort
-  p.50 Tandem
-  p.54 Cruiser
-  p.62 Youth
-  p.68 Geometry
-  p.70 Specifications



The Seattle Metro area has been home to Raleigh America's corporate headquarters for over 20 years. During that time, the area has proven to be an excellent home for both our company and for our families. Raleigh America is proud of its ongoing relationship with the Seattle business and cycling communities, and in recognition of this we have included a series of stories in this catalog highlighting various unique aspects of our area's cycling and cultural atmosphere.

p.1

Named in 2001 as Bicycling magazine's Best Bicycling City in North America for cities with populations between 500,000 and 1 million, Seattle is home to a very active cycling community that includes year-round commuters, hardcore racers, triathletes, mountain bikers and BMX riders. Seattle is also home to the nation's largest bicycle club, the Cascade Bicycle Club (www.cascade.org), and a very well-developed system of bike and multi-use paths and bike lanes. More information about cycling and cycling resources in Seattle is available through the Bicycle Alliance of Washington (www.bicyclealliance.org).

Seattle's scenic beauty, diverse terrain and challenging weather (yes, it really does rain here - a lot!) along with the spirit and determination of its local riders continually inspire us as we develop our products. We are proud to call the Seattle area home and are also proud of our 2006 line of Raleigh Bicycles. We hope that you find this catalog useful and informative - please visit our website, www.raleighamerica.com, for more information and updates on new products. And if your vacation plans include a trip to Seattle, be sure to bring your bike and take advantage of some of the best cycling in the country.

In the meantime - Enjoy the Ride!

Performance Comfort Road

The Raleigh Cadent line of bikes has been designed from the ground up to provide all-day comfort in a responsive, lightweight package.

With a “heads up” riding position and five models to choose from, the Raleigh Cadent sets a new standard for performance, comfort and value.



p.3



Enjoy the Ride.
-North Fork Road, Mount Si.

Looking for a bike with all the performance of today's high tech road bikes but with a more comfortable, relaxed attitude? Enter the Cadent line of road bikes from Raleigh. Designed for men and women, these exciting new bikes feature Re²P, a performance comfort frame design that greatly improves comfort without sacrificing performance, light weight or efficiency.

Re²P, or Relaxed, Ergonomic, Efficient Positioning, is the cornerstone of Cadent design.



Using this philosophy, the Raleigh Product Team has developed a line of bicycles which reduce back and neck strain and pressure on the hands and wrists. The result: A "Heads Up" riding position, allowing Cadent riders to ride longer with more comfort than on traditional road bikes. Rider weight is centered over the bike, providing sure and confident handling. The Cadent is perfect for those looking to participate in group and event rides, light duty touring, commuting or just plain fun riding. Older riders, those returning to the sport or riders with health or flexibility issues will find renewed riding enjoyment courtesy of Re²P.



In addition to utilizing Re²P, Cadent bikes are loaded with comfort enhancing features that compliment the user friendly appeal of the design. Lightweight frames, Raleigh Custom Carbon forks, padded bar tape, and comfortable saddles are present throughout the Cadent line. Cadent 4.0 and 5.0 feature Easton Ultralite alloy main triangles and vibration taming Easton carbon seat and chain stays.

ca•dent, kad´ant, *a.* Having cadence or rhythm.

The main advantage of **Re²P, or Relaxed, Ergonomic, Efficient Positioning** versus traditional road bike geometry is a reduction in the strain placed on the back and neck of the rider. Cadent riders are all together more upright, relaxed and comfortable than their traditional counterparts.



A lower bottom bracket provides a reduced center of gravity for enhanced stability and improved handling.

A taller head tube allows for a more upright positioning without resorting to ungainly stacks of headset spacers.

Size	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge
------	---------------	---------------	---------------	---------------	----------------

Cadent 5.0

Frame: Easton Ultralite Race
w/EC90 CNT Seat Stays/Chain Stays
Fork: Raleigh Custom Carbon/Carbon
Steer, 50mm offset
Shifter: Shimano Ultegra 10spd
Front Derailleur: Shimano Ultegra
Rear Derailleur: Shimano Dura Ace
Cranks: Truvativ Carbon Compact
Rouleux GXP 36/50t
Bottom Bracket: Truvativ GXP
Gear: Shimano Ultegra 10spd (12-27t)
Rims: Mavic Cosmos Black
Brakes: Shimano Ultegra

Color: The Cadent Silver



20
06

p.6



It has often been said that a company's products are only as good as the people who build them, and when it comes to building great bicycles there's no substitute for real world testing. When Raleigh America's product team set out to design the new Cadent line of Performance Comfort road bikes, one of the biggest challenges was to develop a frame design that would effectively meet the needs of riders of varying body types and sizes. One of the critical aspects of the Cadent frame design was how to successfully incorporate full-size 700c wheels into a frame small enough for riders under five feet tall.

Enter Monette Armstrong (Raleigh America's Human Resources Manager), an avid rider and veteran of the 200 mile Seattle to Portland ride. Monette had always been relegated to riding road bikes with 650c wheels in order to accommodate her less than average vertical stature. At just north of five feet, Monette was the perfect test subject for the Product Development Team as they worked on the geometry. Monette now rides a Cadent 45cm model equipped with full-size 700c wheels, allowing her to easily cruise with the rest of the pack. Monette also benefits from the *heads up* riding position of the Cadent, allowing her to see the road ahead with less strain on her neck, arms, and wrists. She is so inspired, that she has committed to join Team Raleigh America for the National Multiple Sclerosis Society's 2005 MS 150 ride in September.



20
06

p.7

Cadent 4.0

Frame: Easton Ultralite Race
w/EC90 CNT Seat Stays/Chain Stays
Fork: Raleigh Custom Carbon/Carbon
Steer, 50mm offset
Shifter: Shimano Ultegra 10spd
Front Derailleur: Shimano Ultegra
Rear Derailleur: Shimano Ultegra
Crank: Truvativ Elita GXP 30/42/52t
Bottom Bracket: Truvativ GXP
Gear: Shimano Ultegra 10spd (12-25t)
Rims: Alex AT-400, w/CNC sides
Brakes: Shimano Ultegra

Size	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge
------	---------------	---------------	---------------	---------------	----------------

Color: The Cadent Red



p.8

Cadent 3.0

Frame: Atomic 13 SL Aluminum
w/Carbon Wishbone Seat Stays
Fork: Raleigh Custom Carbon/
Alloy Steer, 50mm offset
Shifter: Shimano 105 9spd
Front Derailleur: Shimano 105
Rear Derailleur: Shimano Ultegra
Crank: Truvativ Elita GXP 30/42/52t
Bottom Bracket: Truvativ GXP
Gear: SRAM PG-950 9spd (12-26t)
Rims: Alex DC-19 w/Ground Sidewall
Brakes: Tektro Dual Pivot

Size	45cm XSmall	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge
------	----------------	---------------	---------------	---------------	---------------	----------------

Color: The Cadent White



Cadent 2.0

Frame: Atomic 13 Aluminum w/replaceable hanger
Fork: Raleigh Custom Carbon/ Alloy Steer, 50mm offset
Shifter: Shimano Tiagra 9spd
Front Derailleur: Shimano Tiagra
Rear Derailleur: Shimano 105
Cranks: Truvativ Touro 30/42/52t
Bottom Bracket: Truvativ Power Spline
Gear: SRAM PG-950 9spd (12-26t)
Rims: Alex DC-19 w/Ground Sidewall
Brakes: Tektro Dual Pivot

Size	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge
------	------------	------------	------------	------------	-------------



Color: The Cadent Black



p.9

Cadent 1.0

Frame: Atomic 13 Aluminum w/replaceable hanger
Fork: Raleigh Custom Carbon/ Alloy Steer, 50mm offset
Shifter: Shimano Sora 8spd
Front Derailleur: Shimano 2200
Rear Derailleur: Shimano Tiagra
Cranks: Truvativ ISO Flow Road 30/42/52t
Bottom Bracket: Truvativ Sealed Cartridge
Gear: SRAM PG-850 8spd (12-26t)
Rims: Alex DC-19 w/Ground Sidewall
Brakes: Tektro Dual Pivot

Size	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge
------	------------	------------	------------	------------	-------------



Color: The Cadent Blue

Road

Building on the success of last year's breakthrough Road line, the 2006 collection of Road bikes from Raleigh America is our strongest to date. High tech composite and alloy frames are thoughtfully outfitted with quality components to provide a superior combination of performance and value.



p.11

 **Enjoy the Ride.**
-Sunrise, Mt. Rainer National Park.

Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge
------	----------------	---------------	---------------	---------------	---------------	----------------

Team

Frame: C6 ACE, Advanced Carbon Engineering, full carbon frame
Fork: Easton EC90 SLX Carbon w/Carbon Steer Tube
Shifter: Shimano Dura Ace
Front Derailleur: Shimano Dura Ace
Rear Derailleur: Shimano Dura Ace
Cranks: Shimano Dura Ace, 39/53t
Bottom Bracket: Shimano Dura Ace External Bearing
Gear: Shimano Ultegra 10spd (11-23t)
Rims: Mavic Ksyrium SL
Brakes: Shimano Dura Ace

Color: Carbon/Black



p.12



Bicycle racing is one of the most demanding test environments available for our products, and we rely on input from our sponsored race teams throughout the product development process. One of those teams is the Seattle-based Recycled Cycles Racing team, whose members compete in various disciplines of road, track, mountain, and cyclocross racing both regionally and nationally. On the road side, the RCR team currently races on the full carbon C6 ACE Team and the carbon/alloy C6 Fusion Prestige frames, which riders appreciate for their unique combination of lightweight, stiffness, and superb ride quality.

The RCR crew has posted some impressive results over the past two seasons, competing in national-caliber races such as the Sea Otter Classic, the Nature Valley Grand Prix, and the Tour of Shenandoah. In August 2004, RCR rider Tom Peterson won the Junior National Championship road race in Park City, UT.

Founded in 1994, Seattle's Recycled Cycles (www.recycledcycles.com) is one of Raleigh's top local dealers. Featured recently in Bicycling Magazine (March 2005), Recycled Cycles is a bike aficionado's dream, renowned for its vast collection of new, used, and collectible bikes, frames, and parts.

Prestige

Frame: C6 ACE, Advanced Carbon Engineering, full carbon frame
Fork: Easton EC70 Carbon w/Carbon Steer Tube
Shifter: Shimano Ultegra 10spd
Front Derailleur: Shimano Ultegra
Rear Derailleur: Shimano Dura Ace
Cranks: Truvativ Rouleur GXP 39/53t
Bottom Bracket: Truvativ GXP External Bearing
Gear: Shimano Ultegra 10spd (11-23t)
Rims: Mavic Aksium
Brakes: Shimano Ultegra

Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge
------	----------------	---------------	---------------	---------------	---------------	----------------



Color: Carbon/Red



p.13

Competition

Frame: C6 FT, Fusion Technology, carbon/alloy frame
Fork: Easton EC70 Carbon w/Alloy Steer Tube
Shifter: Shimano 105 9spd
Front Derailleur: Shimano 105
Rear Derailleur: Shimano Ultegra
Cranks: Truvativ Elita A1 GXP Compact 36/50t
Bottom Bracket: Truvativ GXP External Bearing
Gear: Shimano HG50 9spd (12-25t)
Rims: Shimano R550
Brakes: Tektro Dual Pivot

Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge
------	----------------	---------------	---------------	---------------	---------------	----------------



Color: Carbon/Orange

Grand Prix

Frame: Atomic 13 Aluminum, Integrated Headtube
Fork: Easton EA70 Carbon w/Alloy Steer tube
Shifter: Shimano Tiagra 9spd
Front Derailleur: Shimano Tiagra
Rear Derailleur: Shimano 105
Cranks: Truvativ Touro Power Spline Road 30/42/52t
Bottom Bracket: Truvativ Power Spline Cartridge
Gear: Shimano HG50 9spd (12-25t)
Rims: Alex DC-19 w/CNC Sidewalls
Brakes: Tektro Dual Pivot

Size	46cm XXSmall	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge
------	-----------------	----------------	---------------	---------------	---------------	---------------	----------------

Color: Yellow/Black



p.14

Supercourse

Frame: Atomic 13 R Aluminum, Carbon Seat Stays
Fork: Easton EC70 Carbon w/Alloy Steer Tube
Shifter: Shimano 105 9spd
Front Derailleur: Shimano 105
Rear Derailleur: Shimano Ultegra
Cranks: Truvativ Elita A1 GXP Compact 36/50t
Bottom Bracket: Truvativ GXP external bearing
Gear: Shimano HG50 9spd (12-25t)
Rims: Alex DC-19 w/CNC Sidewall
Brakes: Tektro Dual Pivot

Size	46cm XXSmall	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge
------	-----------------	----------------	---------------	---------------	---------------	---------------	----------------

Color: Blue/Black

Grand Sport

Frame: Atomic 13 Aluminum,
Zero stack headtube
Fork: Carbon Composite w/Alloy steerer
Shifter: Shimano Sora 8spd
Front Derailleur: Shimano 2200
Rear Derailleur: Shimano Tiagra
Cranks: Truvativ Touro Road 30/42/52t
Bottom Bracket: Sealed Cartridge
Gear: Shimano HG50 8spd (12-25t)
Rims: Alex DA-16 Double wall
Brakes: Tektro Dual Pivot

Color: Pearl White/Black



20
06

p.15

Sport

Frame: 6061 Aluminum
w/replaceable hanger
Fork: Chromoly Road
Shifter: Shimano Sora 8spd
Front Derailleur: Shimano 2200
Rear Derailleur: Shimano 2200
Cranks: Truvativ ISO Flow Road 30/42/52t
Bottom Bracket: Sealed Cartridge
Gear: SRAM PG-830 8spd (12-26t)
Rims: Alex DA-16 Double wall
Brakes: Tektro Dual Pivot

Color: Red/Black



Track/Single Speed

Combining single speed simplicity, retro style, and a touch of urban attitude, the Raleigh Rush Hour model brings old school cool to the streets.

The Rush Hour model offers the discriminating cyclist a great looking classic steel Track-style bike at a surprisingly affordable price.



p.17



Enjoy the Ride.
-Marymoor Velodrome, Redmond.

Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large
------	----------------	---------------	---------------	---------------	---------------

Rush Hour

Frame: Chromoly Double
Butted Track, CNC drop outs

Fork: Chromoly Track

Cranks: Truvativ Touro Track 48t

Bottom Bracket: Sealed Cartridge

Gear: 16t Freewheel, 15t Fixed cog

Hubs: Sealed Bearing Hi-Flange
Fixed/Freewheel Rear

Rims: Alex DC-19 w/CNC Side

Brakes: Tektro Dual Pivot

Color: Steel Gray



p.18





SRAM

MARYMOOR
VELODROME Association

GroupHealth
COOPERATIVE

Raleigh America, working in partnership with SRAM bicycle components (www.sram.com) and the Marymoor Velodrome Association, recently helped replace the aging fleet of training and rental bicycles at the Group Health Marymoor Velodrome in Redmond, Washington, with 35 Raleigh Rush Hour track bikes. Raleigh has a long history and a winning heritage in track racing, with highlights including multiple British and World Championships won by Sir Reg Harris in the 1940's and 1950's.

The Marymoor Velodrome Association (www.marymoor.velodrome.org) manages competition programs at the Group Health Velodrome and offers track riding classes for all ability levels, including instruction in track techniques, group riding skills, and bike handling. The Raleigh Rush Hour bicycles are available as rentals for use in classes and amateur racing programs.

Title sponsor Group Health Cooperative (www.ghc.org) is based in Seattle and is a consumer-governed, nonprofit health care system. Group Health signed on as a title sponsor of the Marymoor Velodrome in 2004 as a function of their campaign to promote cycling as part of a healthy lifestyle.

20
06



p.19

Flat Bar Road

Fast, versatile and fun, Flat Bar Road bikes from Raleigh America are perfect for fitness and event rides, commuting and light duty touring. Lightweight and responsive, these bikes excel in city, country and suburban settings.



p.21



Enjoy the Ride.
-Ferry: Bainbridge Island to Seattle.

Route 66

Frame: Atomic 13 R Double Butted Aluminum
Fork: Carbon Cross
Shifter: Shimano R440 9spd
Front Derailleur: Shimano R443 FB
Rear Derailleur: Shimano 105
Crank: Truvativ Touro 30/42/52t
Bottom Bracket: Truvativ Sealed Cartridge
Gear: Shimano HG50 9spd (12-25t)
Rims: Alex DC-19 w/CNC Sidewall
Brakes: Shimano M420 V-brake

Size	47cm XX Small	50cm X Small	53cm Small	56cm Medium	59cm Large	62cm X Large
------	------------------	-----------------	---------------	----------------	---------------	-----------------

Color: Dark Silver



p.22



When visitors arrive in the Seattle area one of the most interesting and unique elements of the city becomes immediately clear: there's water everywhere! One of the greatest benefits of this watery layout is the variety of bike rides that can take advantage of the Washington State Ferry System (www.wsdot.wa.gov/ferries). This unique transportation resource presents cyclists with limitless options for exploration, exercise, and relaxation on some of the area's most scenic back roads, winding through the region's many historic towns.

Cyclists get priority loading and offloading privileges on Washington State Ferries, boarding before cars are allowed on and disembarking first as well. After relaxing on a scenic boat ride, one can ride and take in the sights at any number of cycling-friendly destinations, including Whidbey and Bainbridge Islands, Anacortes, and the San Juan Islands. The diversity of these destinations, combined with a tourist-friendly atmosphere, creates an ideal environment for hard-core cyclists and the *credit card tourists* alike.

Route 24

Frame: Atomic 13 R Double Butted Aluminum, w/Disc compatible rack mounts
Fork: CRMO Cross w/Disc Tabs
Shifter: Shimano R220/223 8spd
Front Derailleur: Shimano R443A FB
Rear Derailleur: Shimano Tiagra
Cranks: Truvativ ISO Flow Road 30/42/52t
Bottom Bracket: Truvativ Sealed Cartridge
Gear: Shimano HG50 8spd (12-25t)
Rims: Alex DC-19
Brakes: Hayes HMX-2 disc

Size	47cm XX Small	50cm X Small	53cm Small	56cm Medium	59cm Large	62cm X Large
------	------------------	-----------------	---------------	----------------	---------------	-----------------



Color: Silvergold

20
06

Route 1

Frame: Atomic 13 R Double Butted Aluminum
Fork: CRMO Cross
Shifter: Shimano R220/223 8spd
Front Derailleur: Shimano R443A FB
Rear Derailleur: Shimano 2200
Cranks: Truvativ ISO Flow Road 30/42/52t
Bottom Bracket: Truvativ Sealed Cartridge
Gear: Shimano HG50 8spd (12-25t)
Rims: Alex DC-19 w/Ground Sidewall
Brakes: Tektro Alloy V-brake

Size	47cm XX Small	50cm X Small	53cm Small	56cm Medium	59cm Large	62cm X Large
------	------------------	-----------------	---------------	----------------	---------------	-----------------



Color: Navy Blue

Hybrid

A great combination of simplicity, speed and comfort, a Hybrid bike from Raleigh America will allow you to cruise faster and farther than you ever thought possible. Lightweight aluminum frames and comfort enhancing features like Avenir® grips and saddles make these bikes a recreational riders dream.



p.25



Enjoy the Ride.
-Fremont Bridge, Fremont.

Passage 5.0

Frame: Atomic 13 SL Butted Aluminum, Zero Stack headtube, Disc compatible rack mounts
Fork: SR NEX-4000, 63mm Travel, w/Preload Adjust
Shifter: Shimano EZ-Fire-29 8spd
Front Derailleur: Shimano C50
Rear Derailleur: Shimano Alivio
Cranks: Shimano TX-71 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: SRAM PG-850 8spd (11-30t)
Rims: Weinmann AC-19 DW 32h
Brakes: Hayes HMX-2 disc

Size	15" XSmall	17" Small	19" Medium	21" Large	23" XLarge	W16" Medium
------	------------	-----------	------------	-----------	------------	-------------



Custom Rack Available from
your local Raleigh Dealer.

p.26



Color: Pearl White/White

20
06

p.27



TEAM **Survivor**
Northwest

A number of organizations use Seattle's well developed trail system to promote cycling as part of a happy and healthy lifestyle. One such organization is Team Survivor Northwest (TSNW) (www.teamsurvivornw.org), a Seattle-based cancer survivor's support network. Team Survivor's mission is: *To provide a broad range of fitness and health education programs to enable women cancer survivors, in any stage of treatment or recovery and at any fitness level, to take an active role in their ongoing physical and emotional healing.*

TSNW was founded in 1995 by Dr. Julie Gralow, a Seattle oncologist, and Lisa Talbott, who were working with cancer survivors training for the Danskin Triathlon. Dr. Gralow observed that her athletes derived a great benefit both physically and psychologically from their training. In the fall of 2004 Raleigh America donated a fleet of C200 bikes to TSNW to help expand their already popular cycling program. The bikes are housed and maintained by local dealer Recycled Cycles, whose close proximity to both the TSNW headquarters and the Burke Gilman bike trail makes the store a perfect starting point for group rides.

Passage 4.0

Frame: Atomic 13 Aluminum, w/replaceable hanger, Cross geometry
Fork: SR NEX-4000, 63mm Travel, w/Preload Adjust
Shifter: Shimano EZ-Fire-29 8spd
Front Derailleur: Shimano C50
Rear Derailleur: Shimano Acera
Cranks: Shimano TX-71 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: Shimano 8spd MegaRange (11-34t)
Rims: Alex R1000 36h
Brakes: Tektro Alloy V-brake w/power modulator

Size	15" XSmall	17" Small	19" Medium	21" Large	23" XLarge	W16" Medium
------	------------	-----------	------------	-----------	------------	-------------

Color: Blue/Silver



Color: Dark Teal/Silver



Color: Silver/Amber



Color: Silver/Amber



Passage 3.0

Frame: Atomic 13 Aluminum,
w/replaceable hanger, Cross geometry
Fork: SR NEX-4000, 63mm Travel,
w/Preload Adjust
Shifter: Shimano Revo 7spd
Front Derailleur: Shimano Tourney
Rear Derailleur: Shimano TX-50
Crank: SR Suntour XCC100 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: Shimano 7spd MegaRange (14-34t)
Rims: Alex R1000 36h
Brakes: Tektro Alloy V-brake
w/power modulator

Size	15" XSmall	17" Small	19" Medium	21" Large	23" XLarge	W16" Medium
------	---------------	--------------	---------------	--------------	---------------	----------------

Color: Black



Color: Red/White



Color: Red/White



20
06

p.29

Color: Silver/Lavender



Full Suspension

The critically acclaimed Raleigh Phase line is expanded for 2006.

These versatile trail bikes are perfect for all day epic rides and with three models to choose from, there's a Phase bike to fit the budget and performance requirements of every rider.



p.31



Enjoy the Ride.
-Preston Railroad Trail, Tiger Mountain.

Phase II

Frame: Atomic 13 R Double Butted Aluminum, 4-5" Travel

Rear Shock: Manitou Swinger 3-Way w/SPV

Fork: Manitou Minute 4 SPV w/IT Travel Adj. 120mm Travel

Shifter: SRAM X-7 trigger 9spd

Front Derailleur: SRAM X-Gen

Rear Derailleur: SRAM X-9

Cranks: Truvativ Stylo GXP 22/32/44t


Bottom Bracket: Truvativ GXP External Bearing

Gear: SRAM PG-970 9spd (11-34t)

Rims: Mavic Cross Ride

Brakes: Hayes HFX-9 Carbon 7" Rotors

Color: Steel Grey



p.32



Seattle is renowned for its die-hard core of commuters and road cyclists, but the area has no shortage of opportunity for those who like to put rubber on dirt from time to time. One signature Seattle area ride is the East Tiger Mountain trail system, a 20-mile network just a short drive from downtown Seattle. One of the most popular mountain biking areas in the region, Tiger Mountain offers diverse trail riding from buffed single track to rocky, rooted technical sections and lung-busting climbs. Due to the area's moist climate, the trails are subject to seasonal closures from October 15 to April 15, but the numerous fire roads are open all year long.

The Tiger Mountain trails are kept open and maintained largely due to the efforts of Seattle's Backcountry Bicycle Trails Club (BBTC) (www.bbtc.org). A regular sight on the trail, BBTC work parties have rebuilt much of the Tiger Mountain network, armoring key sub-surface areas with rock so the trails drain better during rains and are highly resistant to wear. BBTC crews are continually working on projects including replanting vegetation, clearing drainages, and repairing damaged sections of the trail. The next time you're in town reaping the fruits of their labor, make sure to extend your gratitude to crews that you pass on the trail. Better yet, grab a shovel and pitch in!

Phase I

Frame: Atomic 13 R Double Butted Aluminum, 4-5" Travel
Rear Shock: Manitou Radium R w/Platform Plus
Fork: Manitou Black Platinum Air w/IT Travel Adj, 120mm
Shifter: SRAM X-7 trigger 9spd
Front Derailleur: SRAM X-Gen
Rear Derailleur: SRAM X-7
Cranks: Truvativ Fire X GXP 22/32/44t
Bottom Bracket: Truvativ GXP External Bearing
Gear: SRAM PG-950 9spd (11-34t)
Rims: WTB Speed Disc 32h
Brakes: Hayes HFX-9 7" Rotors

Size	17" Small	18" Medium	20" Large
------	-----------	------------	-----------



Color: Red

20
06

p.33

Phase

Frame: Atomic 13 R Double Butted Aluminum, 4-5" Travel
Rear Shock: Spinner SUS R
Fork: Spinner Edge 3, 120mm travel
Shifter: SRAM SX4 8spd
Front Derailleur: SRAM 3.0
Rear Derailleur: SRAM SX-4
Cranks: Truvativ Blaze Power Spline 22/32/42t
Bottom Bracket: Truvativ Powerspline
Gear: SRAM PG-830 8spd (11-32t)
Rims: Weinmann AC-19 DW 32h
Brakes: Promax DSK-320 disc

Size	17" Small	18" Medium	20" Large
------	-----------	------------	-----------



Color: Blue

Hybrid

A great combination of simplicity, speed and comfort, a Hybrid bike from Raleigh America will allow you to cruise faster and farther than you ever thought possible. Lightweight aluminum frames and comfort enhancing features like Avenir® grips and saddles make these bikes a recreational riders dream.



p.25



Enjoy the Ride.
-Fremont Bridge, Fremont.

Mojave 8.0

Frame: Atomic 13 SL Butted Aluminum
w/Hydroformed Gusset

Fork: Manitou Trace Comp 80mm travel
w/Preload Adjust

Shifter: Deore 9spd

Front Derailleur: Shimano Deore

Rear Derailleur: Shimano LX

Cranks: Truvativ Blaze Power Spline 22/32/44t

Bottom Bracket: Truvativ Power Spline

Gear: SRAM PG-950 9spd (11-34t)

Rims: Alex DM-21 double wall

Brakes: Hayes HMX-2 disc

Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge
------	---------------	--------------	---------------	--------------	---------------

Color: Nickel



p.36



Here's a news flash, there's a pro level team riding top-of-the line Raleigh bicycles at NORBA national, endurance, and road racing events. Team Biogen-Idec is comprised of NORBA professionals Kathy Sherwin, Eric Jones, Bart Gillespie, Sally Warner, Lisa Peck and Sue Abbene. Top level amateurs Linde Smith, Roger Gillespie, and Tiffany Pezzulo complete the roster. In addition to a full racing schedule, the athletes travel extensively throughout the US, participating in fundraising rides and various speaking engagements for the National Multiple Sclerosis Society.

Biogen-Idec is an advanced biotechnology company that produces Avonex®, a leading medication that inhibits the progression of Multiple Sclerosis (MS), a debilitating disease affecting the central nervous system. Two of the Biogen-Idec athletes have been diagnosed with MS and are courageous role models, continuously overcoming the symptoms of the disease to pursue competitive cycling. Additional team athletes were chosen based on their ability, character, and willingness to help raise public awareness about MS.

Sally Warner won the 2004 Master's World Mountain Bike Championship on a Raleigh Team Talus frameset equipped with components from co-sponsors SRAM, Rockshox, Truvativ, Magura, Michelin, and American Classic. To follow the team's progress, visit www.teambiogenidec.com, or www.raleighamerica.com.

Mojave 5.5

Frame: Atomic 13 Aluminum
Fork: Mantiou Trace Comp 80mm Travel
 w/Preload Adjust
Shifter: Alivio 8spd
Front Derailleur: Shimano Acera
Rear Derailleur: Shimano Deore
Cranks: Truvativ Blaze 22/32/42t
Bottom Bracket: Sealed Cartridge
Gear: SRAM PG-830 8spd (11-32t)
Rims: Weinmann AC-19 DW 32h
Brakes: Tektro Alloy V-brake

Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge
------	------------	-----------	------------	-----------	------------



Color: Black



p.37

Mojave 5.0

Frame: Atomic 13 Aluminum
Fork: SR XCT 75mm Travel
 w/Preload Adjust
Shifter: Alivio 8spd
Front Derailleur: Shimano Acera
Rear Derailleur: Shimano Alivio
Cranks: Truvativ ISO Flow 22/32/42t
Bottom Bracket: Sealed Cartridge
Gear: SRAM PG-830 8spd (11-30t)
Rims: Weinmann AC-19 DW 32h
Brakes: Hayes HMX-2 disc

Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge
------	------------	-----------	------------	-----------	------------



Color: Yellow

Mojave 4.5

Frame: Atomic 13 Aluminum
Fork: SR XCT 75mm Travel
w/Preload Adjust
Shifter: Shimano EZ-Fire-29 8spd
Front Derailleur: Shimano C50
Rear Derailleur: Shimano Acera
Cranks: SR Suntour XCC150 24/34/42t
Bottom Bracket: Sealed Cartridge
Gear: Shimano HG40 8spd (11-32t)
Rims: Weinmann AC-19 DW 32h
Brakes: Tektro Alloy V-brake

Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium
------	---------------	--------------	---------------	--------------	---------------	----------------



Color: Blue

20
06

p.38



Color: Pink

Mojave 4.0

Frame: Atomic 13 Aluminum

Fork: SR XCT 75mm Travel
w/Preload Adjust

Shifter: Shimano EZ-Fire-29 7spd

Front Derailleur: Shimano C50

Rear Derailleur: Shimano Altus

Cranks: SR Suntour XCC150 24/34/42t

Bottom Bracket: Sealed Cartridge

Gear: SR Suntour Power Flow (11-30t)

Rims: Weinmann AC-19 DW 32h

Brakes: Promax DSK-320 disc

Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium
------	---------------	--------------	---------------	--------------	---------------	----------------



Color: Burnt Orange/Silver



Mojave 2.0

Frame: Atomic 13 Aluminum
w/replaceable hanger
Fork: SR M2000 63mm Travel
Shifter: Shimano EZ-Fire-29 7spd
Front Derailleur: Shimano Tourney
Rear Derailleur: Shimano TX-30
Cranks: Shimano TY33 28/38/48t
Bottom Bracket: Sealed Mech 8pcs
Gear: Shimano 7spd TZ07 (14-28t)
Rims: Alex R1000 36h
Brakes: Tektro Alloy V-brake

Size	12" XXSmall	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge
------	----------------	---------------	--------------	---------------	--------------	---------------



p.40



Hardtail

Color: Light Blue



20
06



p.41

Color: Silver/Black



Comfort

Designed to be easy on the eyes and the body as well as on your checkbook, the 2006 line of Raleigh Comfort bikes has more to offer than ever before. Whether you choose one of our traditional Comfort bikes or one of our new Easy Comfort designs, you'll be able to relax and enjoy the ride like never before.



p.43



Enjoy the Ride.
-Green Lake Park, Ravenna.

Size	Universal
------	-----------

Gruv 2.0

Frame: Atomic 13 Aluminum,
Custom Easy Comfort Design
Fork: SR NEX-4000, 63mm Travel,
w/Preload Adjust
Shifter: Shimano EZ-Fire-29 8spd
Front Derailleur: Shimano C102
Rear Derailleur: Shimano Acera
Crank: Shimano TX-71 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: Shimano 8spd MegaRange (11-34t)
Rims: Alex R1000 36h
Brakes: Tektro Alloy V-brake
w/power modulator



Color: Golden Sunset

20
06

Color: Silver



Rider fit is easily adjusted with
handlebar and saddle positioning.

Gruv

Frame: Atomic 13 Aluminum,
Custom Universal Comfort Design
Fork: Cromoly 1-1/8"
Shifter: Shimano Revo 7spd
Rear Derailleur: Shimano Altus
Crank: Prowheel 40t w/Double Guard
Bottom Bracket: Sealed Cartridge
Gear: Shimano 7spd MegaRange (14-34t)
Rims: Alex R1000 36h
Brakes: Tektro Alloy V-brake
w/power modulator

Color: Blue



Venture 5.0

Frame: Atomic 13 SL Butted Aluminum, Zero Stack headtube, Disc compatible rack mounts
Fork: SR NEX-4000, 63mm Travel, w/Preload Adjust
Shifter: Shimano EZ-Fire-29 8spd
Front Derailleur: Shimano C50
Rear Derailleur: Shimano Alivio
Cranks: Shimano TX-71 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: Shimano 8spd MegaRange (11-34t)
Rims: Weinmann AC-19 DW 32h
Brakes: Hayes HMX-2 disc

Size	16" Small	18" Medium	20" Large	22" XLarge	W17" Medium	W19" Large
------	-----------	------------	-----------	------------	-------------	------------



Color: Metallic Gold



Color: Metallic Gold



The Burke-Gilman Trail is a cornerstone of the outstanding and well-developed network of multi-use trails, bicycle paths, and bicycle lanes that help make Seattle a cyclist's paradise. *The Burke* was created over 30 years ago through the actions of dedicated group of community-minded citizens who convinced the Burlington Northern railroad to donate 11 miles of abandoned track to the City of Seattle. Today the Burke-Gilman Trail is used by an estimated 400,000 to 500,000 cyclists, walkers, joggers and skaters annually.

The Burke-Gilman is a near-seamless 17-mile link from the Ballard neighborhood in the northwest part of Seattle to the city of Kenmore at the north end of Lake Washington. Renowned as a great trail for all types of riders, the Burke-Gilman is fairly level, easily accessed in many places along its length, and is well-maintained. As a result the trail can often be congested, especially on weekends, but the stunning views and the miles of riding free of automobile traffic are well worth it. The trail also serves as an important bicycle commuting route for University of Washington students and many cyclists who work in the downtown Seattle area. Seattle is a great place to visit and ride, so bring your bike, hit *The Burke* and - *enjoy the ride*.

Venture 4.0

Frame: Atomic 13 Aluminum,
Comfort Geometry, w/replaceable hanger
Fork: SR NEX-4000, 63mm Travel,
w/Preload Adjust
Shifter: Shimano EZ-Fire-29 8spd
Front Derailleur: Shimano C50
Rear Derailleur: Shimano Acera
Cranks: Shimano TX-71 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: Shimano 8spd MegaRange (11-34t)
Rims: Alex R1000 36h
Brakes: Tektro Alloy V-brake
w/power modulator

Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	W19" Large
------	---------------	--------------	---------------	--------------	---------------	----------------	---------------

Color: Gray/Silver



Color: Forest Green



Color: Gray/Silver



Color: Forest Green



Venture 3.0

Frame: Atomic 13 Aluminum, Comfort Geometry, w/replaceable hanger
Fork: SR NEX-4000, 63mm Travel, w/Preload Adjust
Shifter: Shimano Revo 7spd
Front Derailleur: Shimano C50
Rear Derailleur: Shimano TX-50
Crank: SR Suntour XCC100 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: Shimano 7spd MegaRange (14-34t)
Rims: Alex R1000 36h
Brakes: Tektro Alloy V-brake w/power modulator

Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	W19" Large
------	------------	-----------	------------	-----------	------------	-------------	------------

Color: Chocolate/Black



Color: Medium Blue



Color: Chocolate/Black



Color: Sky Blue



20
06

p.47

Venture

Frame: Atomic 13 Aluminum
Fork: OS Steel Threadless
Shifter: Shimano Revo 7spd
Rear Derailleur: Shimano TX-30
Cranks: Prowheel 40t w/Double Guard
Bottom Bracket: Sealed Mech 8pc
Gear: Shimano 7spd MegaRange (14-34t)
Rims: Alex R1000 36h
Brakes: Alloy V-brake

Size	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	W19" Large
------	--------------	---------------	--------------	---------------	----------------	---------------



Color: Champagne Pink/Silver



20
06

p.49

Color: Red/Silver



Tandem

If you want to bring a favorite partner along for the ride, what better way than on a Raleigh Tandem. Whether you're looking to put in some serious miles or just cruise the boardwalk, we've got a Tandem that will deliver at a price that will surprise you.



p.51

 **Enjoy the Ride.**
-Green Lake Loop, Greenwood.

Size	16"/18"	18"/20"
------	---------	---------

Coupe

Frame: Atomic 13 Aluminum Tandem
Fork: CRMO Tandem Disc, Integrated Headset
Shifter: R440 9spd
Front Derailleur: Shimano R443 FB
Rear Derailleur: Shimano 105
Cranks: Truvativ Elita Tandem
Bottom Bracket: Truvativ ISIS
Gear: Shimano 6500 9spd (12-27t)
Rims: Alex DM21 40h
Brakes: Avid BB5 disc 6" Rotors

Color: Navy Blue



Color: Wheat/Black



20
06

p.53



Companion

Size	16.5"/19.5"
------	-------------

Frame: Steel/CRMO Comfort Tandem
Fork: CRMO 1-1/8
Shifter: SRAM SX4 8spd
Front Derailleur: Shimano T401
Rear Derailleur: SRAM SX5
Cranks: Truvativ 5D Tandem 28/38/48t
Bottom Bracket: Sealed Cartridge
Gear: SRAM PG-830 8spd (11-34t)
Rims: Alex DM21 36h
Brakes: Tektro Alloy V-brake

Cruiser

The Raleigh America Design Team (RAD) worked overtime this year giving our already popular line of Cruisers an extreme makeover. Great new colors and stylish graphics give the 2006 line of Raleigh Cruisers a whole new attitude. With so many great options to choose from you may need to have more than one.



p.55

 **Enjoy the Ride.**
-Alki Beach, West Seattle.

Retroglide NX3

Frame: Atomic 13 Aluminum Cruiser

Fork: Steel Springer

Shifter: Sturmey Archer 3spd

Cranks: 1pc 46t Raleigh Heron

Gear: 22t Cog

Rims: Alex Zuma 36h

Brakes: Coaster Brake

Color: Retro Blue/Black



20
06

p.56

Color: Retro Blue/Black



Retroglide 7

Frame: Atomic 13 Aluminum Cruiser
Fork: Steel Cruiser
Shifter: Shimano Revo 7spd
Rear Derailleur: Shimano TX-30
Cranks: 1pc 46t Raleigh Heron
Gear: Shimano MF-HG37 7spd (14-28t)
Rims: Alex R1000 36h
Brakes: Tektro V 120mm

Size	18" Men's	16" Women's
------	--------------	----------------

Color: Retro Orange/Gray



20
06



p.57

Color: Retro Gray/Black



Retroglide

Frame: Atomic 13 Aluminum Cruiser

Fork: Steel Cruiser

Cranks: 1pc 46t Raleigh Heron

Gear: 20t Cog

Rims: Alex Zuma 36h

Brakes: Coaster Brake

Size	18" Men's	16" Women's
------	--------------	----------------

Color: Retro Green/Putty



Color: Retro Red/Black



Color: Retro Aqua/Black



Color: Retro Grape/Lt.Grape



20
06

p.58

Special

Frame: Steel Cruiser
Fork: Steel Cruiser
Cranks: 1pc 46t Raleigh Heron
Gear: 20t Cog
Rims: Alex Zuma 36h
Brakes: Coaster Brake

Size	18" Men's	16" Women's
------	--------------	----------------



p.59



Size	18" Men's
------	--------------

P.U.B

Frame: Atomic 13 Aluminum Cruiser
Fork: Steel Springer
Cranks: 3pc Alloy 46t Raleigh Heron
Gear: 20t Cog
Rims: Alex Zuma 36h
Brakes: Coaster Brake



Color: Stout

p.60





Not all cyclists down a coffee before a ride; nor do all cyclists quaff a beer after their ride. For those who do (and for those who don't), we created the P.U.B. (Public Utility Bicycle). Perfect for the trip down to the coffee shop or to the store for after-ride food and beverages, the P.U.B. features a bottle opener built into the frame, a color we call stout and a very cool retro utilitarian look that is sure to turn heads.


Seattle was literally the birthplace of the gourmet coffee wave that has swept across America – a small company (the name rhymes with “oh, shucks”) started with one small store in downtown Seattle. Seattle was also at the forefront of the revival of craft brewing in the US, and one of our favorite after-ride stops is Hale's Ales Brewery (www.halesales.com), right off the Burke-Gilman Trail. Established in 1982 by Mike Hale after a bicycle tour of southern England, Hale's features great food and ales brewed using traditional English brewing methods. One of our favorites is Hale's Cream Ale (sorry it's only sold on premises and selected other locations). Remember to ride responsibly and to **Enjoy the Ride**.

P.S. Raleigh America would like to remind you that it is against the law to drink alcoholic beverages and operate a vehicle (yes, that includes bicycles).

20
06



p.61



Youth

It helps to start them young, and with Raleigh's 2006 Youth bike lineup, there's a model and price range perfect for the future riders in your family. Legendary Raleigh quality and durability will ensure that these bikes will be outgrown long before they wear out.



p.63



Enjoy the Ride.
-Wildwood Park, Puyallup.

Retro 24

Frame: 24" Girls HiTen Steel Cruiser

Fork: 24" HiTen Steel Cruiser

Cranks: 6-1/2" Opc, 44t

Gear: 18t Cog

Rims: Alloy 36h

Brakes: Coaster Brake

Color: Lavender

Size	24" Girl's
------	---------------



Color: Tangerine



Retro 20

Frame: 20" Girls HiTen Steel Cruiser

Fork: 20" HiTen Steel Cruiser

Cranks: 5-1/2" Opc, 36t

Gear: 18t Cog

Rims: Alloy 36h

Brakes: Coaster Brake

Size	20" Girl's
------	---------------

Retro 16

Frame: 16" Girls HiTen Steel Cruiser

Fork: 16" HiTen Steel Cruiser

Cranks: 4-1/2" Opc, 36t

Gear: 18t Cog

Rims: Alloy 28h

Brakes: Coaster Brake

Color: Pink

Size	16" Girl's
------	---------------



MTN Scout

Frame: Aluminum OS Action Curve ATB
Fork: SR Suntour M2000, 50mm Travel
Shifter: Shimano Revo 7spd
Front Derailleur: Shimano TY-32
Rear Derailleur: Shimano TX-30
Cranks: SR Suntour XCC100 28/38/48t
Gear: Shimano TZ07 7spd (14-28t)
Rims: Alloy 36h black
Brakes: Tektro Alloy V-brake

Size	24" Boy's/Girl's
------	---------------------



Color: Black



Color: Iris

20
06

Rowdy

Frame: Aluminum OS Action Curve ATB w/replaceable hanger
Fork: SR Suntour M2000, 30mm travel
Shifter: Shimano Revo 6spd
Rear Derailleur: Shimano TX-30
Cranks: Steel 5-1/2" w/40t Chainring and Double Guard
Gear: Shimano TZ06 6spd (14-28t)
Rims: Alloy 36h black
Brakes: Tektro Alloy V-brake

Size	20" Boy's/Girl's
------	---------------------

Color: Blue/Black



Color: Pink/Black



p.65



The Pacific Northwest has one of the largest and most dedicated populations of cyclists in the country, and a natural extension of that group is the area's young cycling population. Keeping these young riders safe is a responsibility not lost on the nation's largest cycling club, Seattle's 5,000-member Cascade Bicycle Club (www.cascade.org).

Citing statistics that the 10 to 14 age group is involved in the highest number of bicycle collisions - nearly twice that of any other age group - the Cascade Bicycle Club (CBC) developed the Group Health Basics of Bicycling program in conjunction with Group Health Cooperative (www.ghc.org), one of the nation's largest healthcare providers. This hands-on bicycling skills and safety course is designed to give young students a foundation of knowledge and skills in traffic-wise bicycling. One of the highlights of the 2005 program was the addition of 25 Raleigh MXR bikes to the Basics of Bicycling fleet. As part of a continuing effort to support cycling in the Seattle area, Raleigh America partnered with CBC to replace their aging fleet of ragged and worn bikes. By organizing programs such as Basics of Bicycling, the CBC is going a long way to ensure that it will have a large and enthusiastic member base well into the future.

MXR

Frame: Action Curve BMX style
Fork: 1" Steel Threaded
Cranks: Steel One Piece 5" 40t ring
Gear: 18t Cog
Rims: Alloy 36h black
Brakes: Alloy V-brake

Size	20" Boy's
------	--------------



Color: Chrome

Color: Fire Red



p.66

Color: Blue



MXR Mini

Size	16" Boy's
------	--------------

Frame: 16" OS Action Curve BMX HiTen Steel
Fork: 16" BMX Style HiTen
Cranks: 4-1/2" Opc, 36t
Gear: 18t Cog
Rims: Alloy 28h
Brakes: Coaster Brake



Color: Chrome

MXR Micro

Frame: 12" Action Curve BMX HiTen Steel
Fork: 12" BMX-Style HiTen
Cranks: 3-1/2" Opc Steel, 28t
Gear: 18t Cog
Rims: Alloy, 16h
Brakes: Coaster Brake

Size	12" Boy's
------	--------------



Color: Fire Orange

Jazzi

Frame: Action Curve BMX style
Fork: 1" Steel Threaded
Cranks: Steel One Piece 5" 40t ring
Gear: 18t Cog
Rims: Alloy 36h black
Brakes: Alloy V-brake

Size	20" Girl's
------	---------------



Color: Purple



Color: Teal

Lil' Honey

Frame: 16" OS Action Curve BMX HiTen Steel
Fork: 16" BMX Style HiTen
Cranks: 4-1/2" Opc, 36t
Gear: 18t Cog
Rims: Alloy 28h
Brakes: Coaster Brake

Size	16" Girl's
------	---------------



Color: Yellow
*Also available in Berry Violet(not pictured)

Cupcake

Frame: 12" Action Curve BMX HiTen Steel
Fork: 12" BMX-Style HiTen
Cranks: 3-1/2" Opc Steel, 28t
Gear: 18t Cog
Rims: Alloy, 16h
Brakes: Coaster Brake

Size	12" Girl's
------	---------------



Color: Pink

20
06

Geometry

	Cadent 5.0					Cadent 3.0, 4.0					Cadent 1.0, 2.0					
Size	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge	45cm XSmall (3.0 Only)	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm XLarge
Stand Over Height**	723mm	745mm	775mm	809mm	829mm	697mm	723mm	745mm	775mm	809mm	829mm	723mm	745mm	775mm	809mm	829mm
Seat Tube Length	450mm	480mm	510mm	540mm	570mm	420mm	450mm	480mm	510mm	540mm	570mm	450mm	480mm	510mm	540mm	570mm
Top Tube Length*	510mm	525mm	545mm	565mm	590mm	495mm	510mm	525mm	545mm	565mm	590mm	510mm	525mm	545mm	565mm	590mm
Head Tube Length	125mm	145mm	175mm	215mm	225mm	110mm	125mm	145mm	175mm	215mm	225mm	125mm	145mm	175mm	215mm	225mm
Head Angle	72	72	72	72.5	73	70.5	72	72	72	72.5	73	72	72	72	72.5	73
Seat Angle	75.5	74	73.5	73	72.5	76	75.5	74	73.5	73	72.5	75.5	74	73.5	73	72.5
Wheel Base	977mm	979mm	998mm	1011mm	1028mm	977mm	977mm	979mm	998mm	1011mm	1028mm	977mm	979mm	998mm	1011mm	1028mm
Chain Stay Length	412mm	412mm	415mm	418mm	420mm	412mm	412mm	412mm	415mm	418mm	420mm	412mm	412mm	415mm	418mm	420mm
Fork Offset	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm	50mm
BB Height	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm	268mm
Stem Length	80mm	80mm	90mm	100mm	110mm	60mm	60mm	75mm	75mm	90mm	105mm	60mm	70mm	80mm	90mm	100mm
Handlebar Width	400mm	400mm	420mm	420mm	440mm	400mm	400mm	400mm	420mm	420mm	440mm	380mm	400mm	420mm	420mm	440mm
Crank Length	170mm	170mm	172.5mm	172.5mm	175mm	165mm	170mm	170mm	172.5mm	172.5mm	175mm	170mm	170mm	172.5mm	172.5mm	175mm

	Team, Prestige						Competition						Supercourse							
Size	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge	46cm XXSmall	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge	
Stand Over Height**	747mm	770mm	787mm	806mm	823mm	845mm	747mm	770mm	787mm	806mm	823mm	845mm	712mm	750mm	776mm	787mm	806mm	823mm	845mm	
Seat Tube Length	500mm	530mm	550mm	570mm	590mm	620mm	500mm	535mm	550mm	570mm	590mm	620mm	460mm	500mm	530mm	550mm	570mm	590mm	620mm	
Top Tube Length*	525mm	540mm	550mm	570mm	580mm	600mm	520mm	535mm	550mm	570mm	580mm	600mm	500mm	520mm	535mm	550mm	570mm	580mm	600mm	
Head Tube Length	115mm	135mm	150mm	170mm	185mm	200mm	120mm	140mm	150mm	170mm	185mm	200mm	100mm	120mm	140mm	150mm	170mm	185mm	200mm	
Head Angle	73	73	73.5	73.5	73.5	74	72	72.5	73.5	73.5	73.5	74	70.5	72	72.5	73.5	73.5	73.5	74	
Seat Angle	74	73.5	73	73	73	72.5	75.3	74.5	73	73	73	72.5	76	75.5	74.5	73	73	73	72.5	
Wheel Base	967mm	973mm	974mm	994mm	1002mm	1017mm	981mm	984mm	975mm	995mm	1005mm	1017mm	975mm	986mm	983mm	975mm	995mm	1005mm	1017mm	
Chain Stay Length	408mm	408mm	408mm	408mm	408mm	408mm	410mm	410mm	410mm	410mm	412mm	412mm	410mm	410mm	410mm	410mm	410mm	412mm	412mm	
Fork Offset	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	
BB Height	271mm	271mm	271mm	271mm	271mm	271mm	271mm	271mm	271mm	271mm	271mm	271mm	272mm	272mm	272mm	271mm	271mm	271mm	271mm	
Stem Length	90mm	100mm	100mm	110mm	120mm	120mm	90mm	90mm	100mm	110mm	120mm	120mm	90mm	90mm	100mm	100mm	110mm	120mm	120mm	
Handlebar Width	400mm	400mm	420mm	420mm	440mm	440mm	400mm	400mm	420mm	420mm	440mm	440mm	380mm	400mm	400mm	420mm	420mm	440mm	440mm	
Crank Length	170mm	170mm	172.5mm	172.5mm	175mm	175mm	170mm	170mm	172.5mm	172.5mm	175mm	175mm	165mm	170mm	170mm	172.5mm	172.5mm	175mm	175mm	

	Grand Prix							Grand Sport							Sport				
Size	46cm XXsmall	50cm XSmall	53cm Small	55cm SM/MD	57cm MD/LG	59cm Large	62cm XLarge	47cm XXSmall	50cm XSmall	53cm Small	56cm Medium	59cm Large	62cm XLarge	47cm XXSmall	50cm XSmall	53cm Small	56cm Medium	59cm Large	62cm XLarge
Stand Over Height**	712mm	750mm	776mm	787mm	807mm	823mm	850mm	729mm	750mm	776mm	797mm	828mm	850mm	729mm	750mm	776mm	797mm	828mm	850mm
Seat Tube Length	460mm	500mm	530mm	550mm	570mm	590mm	620mm	470mm	500mm	530mm	560mm	590mm	620mm	470mm	500mm	530mm	560mm	590mm	620mm
Top Tube Length *	500mm	520mm	535mm	550mm	570mm	580mm	600mm	500mm	520mm	535mm	560mm	580mm	600mm	500mm	520mm	535mm	560mm	580mm	600mm
Head Tube Length	100mm	120mm	140mm	145mm	165mm	185mm	205mm	110mm	120mm	140mm	155mm	185mm	205mm	110mm	120mm	140mm	155mm	185mm	205mm
Head Angle	70.5	72	72.5	73	73.5	73.5	73.5	70.5°	72°	72.5°	73.5°	73.5°	73.5°	70.5°	72°	72.5°	73.5°	73.5°	73.5°
Seat Angle	76	75.5	74.5	73	73	73	73	76°	75.5°	74.5°	73°	73°	73°	76°	75.5°	74.5°	73°	73°	73°
Wheel Base	975mm	986mm	989mm	981mm	996mm	1011mm	1030mm	982mm	986mm	983mm	990mm	1010mm	1030mm	982mm	986mm	983mm	990mm	1010mm	1030mm
Chain Stay Length	410mm	410mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm
Fork Offset	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm
BB Height	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm	272mm
Stem Length	90mm	90mm	100mm	100mm	110mm	120mm	120mm	105mm	105mm	105mm	120mm	120mm	120mm	105mm	105mm	105mm	120mm	120mm	120mm
Handlebar Width	380mm	400mm	400mm	420mm	420mm	440mm	440mm	380mm	400mm	400mm	420mm	420mm	440mm	380mm	400mm	400mm	420mm	420mm	440mm
Crank Length	165mm	170mm	170mm	172.5mm	172.5mm	175mm	175mm	165mm	170mm	170mm	175mm	175mm	175mm	165mm	170mm	170mm	175mm	175mm	175mm

	Rush Hour					Route 66							Route 24, 1						
Size	50cm XSmall	53cm Small	55cm MD/MD	57cm MD/LG	59cm Large	47cm XXSmall	50cm XSmall	53cm Small	56cm Medium	59cm Large	62cm XLarge	47cm XXSmall	50cm XSmall	53cm Small	56cm Medium	59cm Large	62cm XLarge		
Stand Over Height**	752mm	780mm	799mm	817mm	837mm	720mm	730mm	760mm	785mm	815mm	840mm	720mm	730mm	760mm	785mm	815mm	840mm		
Seat Tube Length	500mm	530mm	550mm	570mm	590mm	450mm	470mm	500mm	530mm	560mm	590mm	450mm	470mm	500mm	530mm	560mm	590mm		
Top Tube Length *	525mm	535mm	550mm	560mm	580mm	522mm	528mm	540mm	560mm	585mm	600mm	522mm	528mm	540mm	560mm	585mm	600mm		
Head Tube Length	80mm	110mm	127mm	145mm	163mm	100mm	110mm	130mm	150mm	180mm	200mm	100mm	110mm	130mm	150mm	180mm	200mm		
Head Angle	74	74	74	74.5	75	71	71.5	72.5	72.5	72.5	72.5	71	71.5	72.5	72.5	72.5	72.5		
Seat Angle	75	75	74.5	74	74	75.5	75	74.5	73.5	73	73	75.5	75	74.5	73.5	73	73		
Wheel Base	960mm	970mm	975mm	976mm	991mm	1014mm	1016mm	1016mm	1027mm	1047mm	1062mm	1014mm	1016mm	1016mm	1027mm	1047mm	1062mm		
Chain Stay Length	400mm	400mm	400mm	400mm	400mm	435mm	435mm	435mm	435mm	435mm	435mm	435mm	435mm	435mm	435mm	435mm	435mm		
Fork Offset	45mm	45mm	45mm	40mm	40mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm	45mm		
BB Height	282mm	282mm	282mm	282mm	282mm	275mm	275mm	275mm	275mm	275mm	275mm	275mm	275mm	275mm	275mm	275mm	275mm		
Stem Length	70mm	80mm	90mm	100mm	110mm	90mm	90mm	90mm	110mm	110mm	110mm	80mm	80mm	80mm	100mm	100mm	100mm		
Handlebar Width	390mm	390mm	410mm	410mm	430mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm		
Crank Length	165mm	170mm	172.5mm	172.5mm	175mm	170mm	170mm	170mm	172.5mm	172.5mm	175mm	170mm	170mm	172.5mm	172.5mm	172.5mm	175mm		

	Passage 5.0, 3.0, 4.0					
Size	15" XSmall	17" Small	19" Medium	21" Large	23" XLarge	W16" Medium
Stand Over Height**	668mm	668mm	733mm	787mm	812mm	654mm
Seat Tube Length	362mm	392mm	442mm	497mm	547mm	362mm
Top Tube Length*	552mm	552mm	571mm	585mm	594mm	537mm
Head Tube Length	120mm	110mm	110mm	160mm	160mm	110mm
Head Angle	70	70	71	71	71	70
Seat Angle	74	74	73	73	73	74
Wheel Base	1056mm	1056mm	1056mm	1072mm	1072mm	1041mm
Chain Stay Length	450mm	450mm	450mm	450mm	450mm	450mm
Fork Offset	40mm	40mm	40mm	40mm	40mm	40mm
BB Height	275mm	275mm	275mm	275mm	275mm	275mm
Stem Length	90mm	90mm	90mm	110mm	110mm	90mm
Handlebar Width	630mm	630mm	630mm	630mm	630mm	630mm
Crank Length	170mm	170mm	170mm	170mm	170mm	170mm

Phase, I, II			Mojave 8.0						Mojave 5.0/5.5					
17" Small	18" Medium	20" Large	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge		
780mm	795mm	835mm	732mm	760mm	775mm	807	836mm	727mm	750mm	769mm	803mm	849mm		
432mm	458mm	508mm	355mm	406mm	457mm	508mm	558mm	355mm	406mm	457mm	508mm	558		
560mm	585mm	610mm	545mm	571mm	597mm	622mm	640mm	532mm	557mm	585mm	605mm	618mm		
120mm	130mm	155mm	120mm	120mm	130mm	150mm	160mm	110mm	110mm	110mm	130mm	180mm		
69	69	69	71	71	71	71	71	70	70	71	71	71		
73	73	73	73	73	73	73	73	74	74	73	73	72		
1065mm	1090mm	1118mm	1018mm	1044mm	1070mm	1096mm	1115mm	1028mm	1053	1060mm	1082	1085mm		
430mm	430mm	430mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm	425mm		
38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	40mm	40mm	40mm	40mm	40mm		
340mm	340mm	340mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm		
90mm	100mm	110mm	90mm	90mm	110mm	110mm	110mm	90mm	90mm	110mm	110mm	110mm		
620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm		
170mm	175mm	175mm	170mm	170mm	175mm	175mm	175mm	170mm	170mm	175mm	175mm	175mm		

	Mojave 4.0/4.5						Mojave 2.0										Gruv 1, 2
Size	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	12" XXSmall	14" XSmall	16" Small	18" Medium	20" Large	22" XLarge	W12" Small	W16" Medium	W19" Large	Universal	
Stand over Height**	727mm	750mm	769mm	803mm	849mm	644mm	679mm	706mm	731mm	766mm	794mm	849mm	627mm	644mm	692mm	600mm	
Seat Tube Length	355mm	406mm	457mm	508mm	558mm	406mm	305mm	355mm	406mm	457mm	508mm	560mm	305mm	406mm	482mm	400mm	
Top Tube Length*	532mm	557mm	585mm	605mm	618mm	544mm	527mm	534mm	553mm	564mm	578mm	590mm	527mm	542mm	553mm	720.5mm	
Head Tube Length	110mm	110mm	110mm	130mm	180mm	110mm	110mm	110mm	110mm	110mm	140mm	160mm	110mm	110mm	140mm	230mm	
Head Angle	70	70	71	71	71	70	70	70	70	71	71	71	70	70	71	67	
Seat Angle	74	74	73	73	72	74	73	73	73	73	73	73	73	73	73	64	
Wheel Base	1028mm	1053	1060mm	1082	1085mm	1038mm	1016mm	1023mm	1032mm	1043mm	1058mm	1071mm	1016mm	1032mm	1035mm	1159mm	
Chain Stay Length	425mm	425mm	425mm	425mm	425mm	425mm	430mm	430mm	430mm	430mm	430mm	430mm	430mm	430mm	430mm	610mm	
Fork Offset	40mm	40mm	40mm	40mm	40mm	40mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	40mm	
BB Height	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	308mm	290mm	
Stem Length	80mm	80mm	100mm	100mm	100mm	80mm	80mm	80mm	80mm	100mm	100mm	100mm	80mm	80mm	100mm	90mm	
Handlebar Width	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	620mm	630mm	
Crank Length	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	

	Venture 5.0, 4.0, 3.0							Venture						
Size	14" XSM 3.0,4.0 only	16" Small	16" WMD 3.0,4.0 only	17" WMD 5.0 only	18" Medium	20" Large	22" XLarge	W19" Large	16" Small	18" Medium	20" Large	22" XLarge	W16" Medium	W19" Large
Stand Over Height**	692mm	725mm	485mm	485mm	750mm	780mm	850mm	485mm	725mm	750mm	780mm	850mm	485mm	485mm
Seat Tube Length	332mm	382mm	370mm	395mm	422mm	472mm	522mm	442mm	382mm	422mm	472mm	522mm	370mm	442mm
Top Tube Length*	541mm	560mm	538mm	538mm	565mm	575mm	585mm	545mm	560mm	565mm	575mm	585mm	538mm	545mm
Head Tube Length	140mm	140mm	140mm	140mm	140mm	160mm	220mm	140mm	140mm	140mm	160mm	220mm	140mm	140mm
Head Angle	70	70	70	70	70	71	71	70	70	70	71	71	70	70
Seat Angle	73	73	74	74	73	73	73	74	73	73	73	73	74	74
Wheel Base	1022mm	1053mm	1040mm	1040mm	106mm	1059mm	1071mm	1046mm	1053mm	106mm	1059mm	1071mm	1040mm	1046mm
Chain Stay Length	438mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm	438mm
Fork Offset	38mm	38mm	38mm	40mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm	38mm
BB Height	290mm	290mm	290mm	290mm	290mm	290mm	290mm	290mm	90mm	90mm	110mm	110mm	90mm	110mm
Stem Length	90mm	90mm	90mm	90mm	90mm	110mm	110mm	110mm	630mm	630mm	630mm	630mm	630mm	630mm
Handlebar Width	630mm	630mm	630mm	630mm	630mm	630mm	630mm	630mm	170mm	170mm	170mm	170mm	170mm	170mm
Crank Length	170mm	170mm	170mm	170mm	170mm	170mm	170mm	170mm	290mm	290mm	290mm	290mm	290mm	290mm

* Measured Horizontally

** Measured from Center

	Coupe			Companion			Retro 1, 7, Special		Retro NX3		P.U.B.
Size	16"/18"		18"/20"	16.5/19.5			Men's	Women's	Men's	Women's	Men's
Stand Over Height**	605mm	740mm	640mm	750mm	574mm	735mm	775mm	597mm	775mm	597mm	775mm
Seat Tube Length	410mm	482mm	460mm	508mm	419mm	493mm	475mm	405mm	475mm	405mm	475mm
Top Tube Length*	711mm	585mm	711mm	585mm	685mm	595mm	625mm	600mm	625mm	600mm	625mm
Head Tube Length	125mm		125mm		140mm		150mm	150mm	150mm	150mm	150mm
Head Angle	70		71		70		67.5	67.5	67.5	67.5	66
Seat Angle	72.5	72.5	72.5	72.5	72.5	72.5	69	69	69	69	69
Wheel Base	1774mm		1775mm		1771mm		1142mm	1117mm	1162mm	1137mm	1162mm
Chain Stay Length	435mm		435mm		435mm		485mm	485mm	520mm	520mm	520mm
Fork Offset	45mm		45mm		45mm		39mm	39mm	58mm	58mm	58mm
BB Height	280mm		280mm		300		296mm	296mm	296mm	296mm	296mm
Stem Length	135-170mm	90mm	135-170mm	105mm	135-170mm	105	100mm	80mm	100mm	80mm	100mm
Handlebar Width	580mm	580mm	580mm	580mm	630mm	630mm	700mm	700mm	700mm	700mm	700mm
Crank Length	170mm	175mm	170mm	175mm	170mm	175mm	175mm	175mm	175mm	175mm	175mm

Mtn Scout	Rowdy	Retro 24	Retro 20	Retro 16	MXR/ Jazzi	MXRMini/ Lil Honey	MXRMicro/ Cupcake
24" Girls/Boys	20" Girls/Boys	24" Girls	20" Girls	16" Girls	20" Girls/Boys	16" Girls/Boys	12" Girls/Boys
22"	20"	20.75"	18"	15"	20.25"	17"	14"
300mm	280mm	310mm	265mm	224mm	280mm	224mm	200mm
500mm	465mm	540mm	480mm	420mm	488mm	384mm	285mm
95mm	100mm	100mm	100mm	100mm	100mm	100mm	100mm
69	70	71	71	71	71	71	71
71	71	71	71	71	69	71	71
959mm	885mm	1020mm	880mm	787mm	893mm	727mm	556mm
348mm	380mm	435mm	375mm	310mm	375mm	310mm	235mm
37mm	37mm	42mm	42mm	25mm	42mm	25mm	23mm
282mm	239mm	252mm	234mm	252mm	252mm	234mm	207mm
85mm	85mm	40mm	40mm	40mm	40mm	40mm	40mm
580mm	520mm	580mm	545mm	510mm	610mm	520mm	460mm
165mm	140mm	165mm	140mm	114mm	140mm	114mm	89mm

Specifications

Model:	Cadent 5.0	Cadent 4.0	Cadent 3.0	Cadent 2.0	Cadent 1.0	Team	Prestige
Sizes:	49, 52, 54, 56, 59cm	49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm	50, 53, 55, 57, 59, 62cm	50, 53, 55, 57, 59, 62cm
Frame:	Easton Ultralite Race w/EC90 CNT Seat Stays/Chain Stays	Easton Ultralite Race w/EC90 CNT Seat Stays/Chain Stays	Atomic 13 SL Aluminum w/ Carbon Wishbone Seat Stays	Atomic 13 Aluminum w/replaceable hanger	Atomic 13 Aluminum w/replaceable hanger	C6 ACE Advanced Carbon Engineering, full carbon frame	C6 ACE Advanced Carbon Engineering, full carbon frame
Fork:	Raleigh Custom Carbon/Carbon Steer, 50mm Offset	Raleigh Custom Carbon/Carbon Steer, 50mm Offset	Raleigh Custom Carbon/Alloy Steer, 50mm Offset	Raleigh Custom Carbon/Alloy Steer, 50mm Offset	Raleigh Custom Carbon/Alloy Steer, 50mm Offset	Easton EC90 SLX Carbon w/Carbon Steer Tube	Easton EC70 Carbon w/Carbon Steer Tube
Shifter:	Shimano Ultegra 10spd	Shimano Ultegra 10spd	Shimano 105 9spd	Shimano Tiagra 9spd	Shimano Sora 8spd	Shimano Dura-Ace	Shimano Ultegra 10spd
Front Derailleur:	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano 2200	Shimano Dura-Ace	Shimano Ultegra
Rear Derailleur:	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano Dura-Ace	Shimano Dura-Ace
Cranks:	Truvativ Carbon Compact Rouleur GXP 36/50t	Truvativ Elita GXP 30/42/52t	Truvativ Elita GXP 30/42/52t	Truvativ Touro 30/42/52t	Truvativ ISO Flow Road 30/42/52t	Shimano Dura-Ace, 39/53t	Truvativ Rouleur GXP 39/53t
Bottom Bracket:	Truvativ GXP	Truvativ GXP	Truvativ GXP	Truvativ Power Spline	Truvativ Sealed Cartridge	Shimano Dura Ace External Bearing	Truvativ GXP External Bearing
Gear:	Shimano Ultegra 10spd (12-27t)	Shimano Ultegra 10spd (12-25t)	SRAM PG-950 9spd (12-26t)	SRAM PG-950 9spd (12-26t)	SRAM PG-850 8spd (12-26t)	Shimano Ultegra 10spd (11-23t)	Shimano Ultegra 10spd (11-23t)
Chain:	Shimano Ultegra	Shimano Ultegra	KMC Z9000	KMC Z9000	KMC Z82	Shimano Ultegra	Shimano Ultegra
Hub (F):	Mavic Cosmos	Alloy Sealed Joytech QR 28h	Alloy Sealed Joytech QR 28h	Alloy Sealed Joytech QR 28h	Alloy Joytech QR 28h	Mavic Ksyrium SL	Mavic Aksium Silver
Hub (R):	Mavic Cosmos	Alloy Sealed Joytech QR 28h Cassette	Alloy Sealed Joytech QR 32h Cassette	Alloy Sealed Joytech QR 32h Cassette	Alloy Joytech QR 32h Cassette	Mavic Ksyrium SL	Mavic Aksium Silver Cassette
Spokes:	Mavic Cosmos	14g Black Stainless	14g Black Stainless	14g Black Stainless	14g Stainless Steel	Mavic Ksyrium SL	Mavic Aksium
Rims:	Mavic Cosmos Black	Alex AT-400 28h w/CNC sidewalls	Alex DC-19 28/32h w/Ground sidewall	Alex DC-19 28/32h w/Ground sidewall	Alex DC-19 28/32h w/Ground sidewall	Mavic Ksyrium SL	Mavic Aksium
Pedals:	Shimano PD-520 Clipless	Shimano PD-520 Clipless	Shimano PD-520 Clipless	Shimano PD-520 Clipless	Road Pedals w/Clips and Straps	Test Ride	Test Ride
Headset:	Integrated 1-1/8	Integrated 1-1/8	Integrated 1-1/8	Integrated 1-1/8	Integrated 1-1/8	Ritchey WCS Carbon	Ritchey Drop In Sealed
Handlebar:	Easton EA70 Wing 31.8	Easton EA30 Wing 31.8	Easton EA30 Wing 31.8	Alloy Road 26.0	Alloy Road 26.0	Ritchey WCS Carbon Road 31.8	Ritchey WCS Road 31.8
Grips:	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh w/Gel	Raleigh w/Gel
Stem:	Truvativ Team Road, 31.8mm, 10deg	Truvativ XR, 31.8mm, 12deg	Truvativ XR, 31.8mm, 12deg	Alloy Ahead 25deg	Alloy Ahead 25deg	Ritchey WCS 31.8	Ritchey WCS 31.8
Brakes:	Shimano Ultegra	Shimano Ultegra	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Shimano Dura-Ace	Shimano Ultegra
Brake Levers:	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Dura-Ace	Shimano Ultegra
Tires:	Vittoria Rubino 700x25c	Vittoria Rubino 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Diamante Pro 700x23c	Vittoria Rubino Pro Folding 700x23c
Seat:	Raleigh Cadent Road	Raleigh Cadent Road	Raleigh Cadent Road	Raleigh Cadent Road	Raleigh Cadent Road	Selle Italia Filante Gel Flow	Selle Italia Filante Gel Flow
Seatpost:	Raleigh Carbon wrap Micro Adjust 31.6mm	Raleigh Carbon wrap Micro Adjust 31.6mm	Raleigh Carbon wrap Micro Adjust 27.2mm	Raleigh Carbon wrap Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Ritchey WCS Carbon 27.2mm	Ritchey WCS Carbon 27.2mm
Extras:	Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Cateye reflector set, Clear Coat, Owner's Manual	Cateye reflector set, Clear Coat, Owner's Manual
Color(s):	The Cadent Silver	The Cadent Red	The Cadent White	The Cadent Black	The Cadent Blue	Carbon/Black	Carbon/Red

Specifications subject to change without notice. ©Fall 2005 Raleigh America, Inc.

Model:	Competition	Supercourse	Grand Prix	Grand Sport	Sport	Rush Hour	Route 66	Route 24
Sizes:	50, 53, 55, 57, 59, 62cm	46, 50, 53, 55, 57, 59, 62cm	46, 50, 53, 55, 57, 59, 62cm	47, 50, 53, 56, 59, 62cm	47, 50, 53, 56, 59, 62cm	50, 53, 55, 57, 59cm	47, 50, 53, 56, 59, 62	47, 50, 53, 56, 59, 62cm
Frame:	C6 FT Fusion Technology, Carbon/Alloy Frame	Atomic 13 R Aluminum, Carbon Seat Stays	Atomic 13 Aluminum, Integrated Headtube	Atomic 13 Aluminum, Zero Stack Headtube	6061 Aluminum w/Replaceable Hanger	Chromoly Double Butted Track, CNC Drop Outs	Atomic 13 R Double Butted Aluminum	Atomic 13 R Double Butted Aluminum, w/Disc Compatible Rack Mounts
Fork:	Easton EC70 Carbon w/Alloy Steer Tube	Easton EC70 Carbon w/Alloy Steer Tube	Easton EA70 Carbon w/Alloy Steer Tube	Carbon Composite w/Alloy Steerer	Chromoly Road	Chromoly Track	Carbon Cross	Chromoly Cross w/Disc Tabs
Shifter:	Shimano 105 9spd	Shimano 105 9spd	Shimano Tiagra 9spd	Shimano Sora 8spd	Shimano Sora 8spd	N/A	Shimano R440 9spd	Shimano R220/223 8spd
Front Derailleur:	Shimano 105	Shimano 105	Shimano Tiagra	Shimano 2200	Shimano 2200	N/A	Shimano R443 FB	Shimano R443A FB
Rear Derailleur:	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano 2200	N/A	Shimano 105	Shimano Tiagra
Cranks:	Truvativ Elita A1 GXP Compact 36/50t	Truvativ Elita A1 GXP Compact 36/50t	Truvativ Touro Power Spline Road 30/42/52t	Truvativ Touro Road 30/42/52t	Truvativ ISO Flow Road 30/42/52t	Truvativ Touro Track 48t	Truvativ Touro 30/42/52t	Truvativ ISO Flow Road 30/42/52t
Bottom Bracket	Truvativ GXP External Bearing	Truvativ GXP External Bearing	Truvativ Power Spline Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Truvativ Sealed Cartridge	Truvativ Sealed Cartridge
Gear:	Shimano HG50 9spd (12-25t)	Shimano HG50 9spd (12-25t)	Shimano HG50 9spd (12-25t)	Shimano HG50 8spd (12-25t)	SRAM PG-830 8spd (12-26t)	16t Freewheel, 15t cog	Shimano HG50 9spd (12-25t)	Shimano HG50 8spd (12-25t)
Chain:	KMC Z9000	KMC Z9000	KMC Z9000	Shimano HG50	Shimano HG50	KMC Z82	SRAM PC-950	KMC Z9000
Hub (F):	Shimano R550	Alloy Sealed Bearing 28h	Alloy Joytech QR 28h	Alloy Joytech QR 32h	Alloy Joytech QR 32h	Alloy Sealed 32h, Track	Alloy Joytech QR 32h	Alloy Joytech QR Disc 32h
Hub (R):	Shimano R550	Alloy Sealed Bearing 28h	Alloy Joytech QR 28h Cassette	Alloy Joytech QR 32h Cassette	Alloy Joytech QR 32h Cassette	Alloy Sealed 32h Track	Alloy Joytech QR 32h, Cassette	Alloy Joytech QR Disc 32h Cassette
Spokes:	Shimano R550	14g Black Stainless	14g Black Stainless	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Black Stainless	14g Black Stainless
Rims:	Shimano R550	Alex DC-19 w/CNC Sidewall	Alex DC-19 28h w/CNC Sidewall	Alex DA-16 32h Double Wall	Alex DA-16 32h Double Wall	Alex DC-19 32h w/CNC Sidewall	Alex DC-19 w/CNC Sidewall	Alex DC-19 32h
Pedals:	Test Ride	Test Ride	Shimano PD-520 Clipless	Road Pedals w/Clips and Straps	Road Pedals w/Clips and Straps	Road Pedals w/Clips and Straps	Shimano PD-520 Clipless	Alloy Cage/Body, Clips and Straps
Headset:	Ritchey Drop In Sealed	Integrated 1-1/8	Integrated 1-1/8	Integrated 1-1/8	Ahead 1-1/8	Ahead 1-1/8	Ahead 1-1/8	Ahead 1-1/8
Handlebar:	Ritchey Road 31.8	Ritchey Road 31.8	Ritchey Road 26.0	Alloy Road	Alloy Road	Alloy Road	Alloy Flat 540mm	Alloy Flat 540mm
Grips:	Raleigh w/Gel	Raleigh w/Gel	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh Gel Tape	Raleigh	Raleigh	Raleigh
Stem:	Ritchey 4-Bolt, 31.8	Ritchey 4-Bolt, 31.8	Ritchey 4-Bolt	Alloy Ahead 10deg	Alloy Adjustable	Alloy Ahead	Alloy Ahead 4-Bolt, 10deg	Alloy Ahead 4-Bolt, 20deg
Brakes:	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot	Shimano M420 V-Brake	Hayes HMX-2 Disc
Brake Levers:	Shimano 105	Shimano 105	Shimano Tiagra	Shimano Sora/Tektro Inline	Shimano Sora	Tektro Road	Tektro V-brake	Shimano R220
Tires:	Vittoria Zaffiro 700x23c	Vittoria Zaffiro 700x23c	Vittoria Zaffiro 700x23c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x23c	Vittoria Rondenour 700x28c	Vittoria Randonneur 700x28c
Seat:	Selle Italia FK Trans Am	Selle Italia FK Trans Am	Selle Italia FK Trans Am	Avenir Road	Avenir Road	Raleigh Road	Avenir SRS Road	Avenir SRS Road
Seatpost:	Raleigh Carbon Wrap Micro Adjust 27.2mm	Raleigh Carbon Wrap Micro Adjust 27.2mm	Raleigh Carbon Wrap Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy, Bootless Micro Adj. Suspension 27.2 x 300mm	Alloy, Bootless Micro Adj. Suspension 27.2 x 300mm
Extras:	Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual	Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual
Color(s):	Carbon/Orange	Blue/Black	Yellow/Black	Pearl White/Black	Red/Black	Steel Gray	Dark Silver	Silvergold

www.RaleighAmerica.com

Specifications

Model:	Route 1	Passage 5.0	Passage 4.0	Passage 3.0	Phase	Phase 1	Phase 2	Mojave 8.0
Sizes:	45, 47, 50, 53, 56, 59, 62cm	M: 15, 17, 19, 21, 23" W: 16, 19"	M: 15, 17, 19, 21, 23" W: 16, 19	M: 15, 17, 19, 21, 23" W: 16, 19	17, 18, 20"	17, 18, 20"	17, 18, 20"	14, 16, 18, 20, 22
Frame:	Atomic 13 R Double Butted Aluminum	Atomic 13 SL Butted Aluminum, Zero Stack Headtube, Disc Compatible Rack Mounts	Atomic 13 Aluminum, w/Replaceable Hanger, Cross Geometry	Atomic 13 Aluminum, w/Replaceable Hanger, Cross Geometry	Atomic 13 R Double Butted Aluminum, 4-5" Travel Rear Shock: Spinner SUS R	Atomic 13 R Double Butted Aluminum, 4-5" Travel Rear Shock: Manitou Radium R w/Platform Plus	Atomic 13 R Double Butted Aluminum, 4-5" Travel Rear Shock: Manitou Swinger 3-Way w/SPV	Atomic 13 SL Butted Aluminum w/Hydroformed Gusset
Fork:	Chromoly Cross	SR NEX-4000, 63mm Travel, w/Preload Adjust	SR NEX-4000, 63mm Travel, w/Preload Adjust	SR NEX-4000, 63mm Travel, w/Preload Adjust	Spinner Edge 3, 120mm Travel	Manitou Black Platinum Air w/IT Travel Adj, 120mm	Manitou Minute 4 SPV w/IT Travel Adj, 120mm Travel	Manitou Trace Comp 80mm Travel w/Preload Adjust
Shifter:	Shimano R220/223 8spd	Shimano EZ-Fire-29 8spd	Shimano EZ-Fire-29 8spd	Shimano Revo 7spd	SRAM SX4 8spd	SRAM X-7 Trigger 9spd	SRAM X-7 Trigger 9spd	Shimano Deore 9spd
Front Derailleur:	Shimano R443A FB	Shimano C50	Shimano C50	Shimano Tourney	SRAM 3.0	SRAM X-Gen	SRAM X-Gen	Shimano Deore
Rear Derailleur:	Shimano 2200	Shimano Alivio	Shimano Acera	Shimano TX-50	SRAM SX-4	SRAM X-7	SRAM X-9	Shimano LX
Cranks:	Truvativ ISO Flow Road 30/42/52t	Shimano TX-71 28/38/48t	Shimano TX-71 28/38/48t	SR Suntour XCC100 28/38/48t	Truvativ Blaze Power Spline 22/32/42t	Truvativ Fire X GXP 22/32/44t	Truvativ Stylo GXP 22/32/44t	Truvativ Blaze Power Spline 22/32/44t
Bottom Bracket:	Truvativ Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Truvativ Power Spline	Truvativ GXP External Bearing	Truvativ GXP External Bearing	Truvativ Power Spline
Gear:	Shimano HG50 8spd (12-25t)	SRAM PG-850 8spd (11-30t)	Shimano 8spd MegaRange (11-34t)	Shimano 7spd MegaRange (14-34t)	SRAM PG-830 8spd (11-32t)	SRAM PG-950 9spd (11-34t)	SRAM PG-970 9spd (11-34t)	SRAM PG-950 9spd (11-34t)
Chain:	KMC Z9000	KMC Z82	KMC Z82	KMC Z51	Shimano IG-31	SRAM PC-950	SRAM PC-970	SRAM PC-950
Hub (F):	Alloy Joytech QR 32h	Alloy Joytech QR Disc 32h	Alloy QR 36h	Alloy QR 36h	Alloy Joytech QR Disc 32h	Alloy Joytech QR Disc 32h	Mavic Cross Ride	Alloy Joytech QR Disc 32h
Hub (R):	Shimano RM30 32h Cassette	Alloy Joytech QR Disc 32h Cassette	Shimano RM30 36h Cassette	Alloy QR 36h Freewheel	Alloy Joytech QR Disc 32h Cassette	Alloy Joytech QR Disc 32h Cassette	Mavic Cross Ride	Alloy Joytech QR Disc 32h Cassette
Spokes:	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Black Stainless	14g Black Stainless	Mavic Cross Ride	14g Stainless Steel
Rims:	Alex DC-19 32h w/Ground Sidewall	Weinmann 32h AC-19 DW	Alex R1000 36h	Alex R1000 36h	Weinmann AC-19 DW 32h	WTB Speed Disc 32h	Mavic Cross Ride	Alex DM-21 32h Double Wall
Pedals:	Alloy Cage/Body, Clips and Straps	Comfort Platform	Comfort Platform	Comfort Platform	Ritchey V4 Clipless	Crank Bros Candy C	Crank Bros Candy C	Resin Platform
Headset:	Ahead 1-1/8	Steel 1-1/8 Integrated	Steel 1-1/8	Steel 1-1/8	WTB Zero Stack 1-1/8	WTB Zero Stack 1-1/8	WTB Zero Stack 1-1/8	WTB Zero Stack 1-1/8
Handlebar:	Alloy flat 540mm	Steel Riser	Steel Riser	Steel Riser	Alloy 25.4 High Rise	Answer ProTaper 6061	Answer ProTaper 6061	Mtn Alloy 25mm Riser
Grips:	Raleigh	Avenir Comfort	Avenir Comfort	Avenir Comfort	Raleigh	Raleigh	Raleigh	Raleigh
Stem:	Alloy Ahead 4-Bolt, 20deg	Alloy Adjustable	Alloy Adjustable	Alloy Adjustable	Alloy Ahead 4-Bolt, 10deg	Truvativ XR 5deg	Truvativ Team 5deg Rise	Alloy Ahead 4-Bolt, 10deg
Brakes:	Tektro Alloy V-Brake	Hayes HMX-2 Disc	Tektro Alloy V-brake w/Power Modulator	Tektro Alloy V-brake w/Power Modulator	Promax DSK-320 Disc Rotors	Hayes HFX-9 7" Rotors	Hayes HFX-9 Carbon 7" Rotors	Hayes HMX-2 Disc
Brake Levers:	Shimano R220	Shimano EZ-Fire-29	Shimano EZ-Fire-29	Tektro V-brake	Hayes HML-1	Hayes HFX-9	Hayes HFX-9 Carbon Levers	Shimano Deore
Tires:	Vittoria Randonneur 700x28c	Kenda Cross w/Kshield 700x35c	Kenda Cross w/Kshield 700x40c	Kenda Cross w/Kshield 700x40c	Kenda Nevegal 26x2.35	Kenda Nevegal 26x2.35	Kenda Nevegal 26x2.35	WTB WeirWolf 26x2.1
Seat:	Avenir SRS Road	Avenir Deluxe Comfort	Avenir Deluxe Comfort	Avenir Deluxe Comfort	WTB Speed V Sport	WTB Lazer V Comp	WTB Lazer V Comp	WTB Speed V Sport
Seatpost:	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy, Bootless Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust 27.2mm	Truvativ XR 27.2x350mm	Truvativ XR 27.2x350mm	Alloy Micro adjust 27.2mm
Extras:	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Cateye Reflectors Set, Clear Coat, Owner's Manual	Cateye Reflectors Set, Clear Coat, Owner's Manual	Cateye Reflectors Set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual
Color(s):	Navy Blue	Pearl White/White	Blue/Silver, Dark Teal/Silver, Silver/Amber	Red/Pearl White, Silver/Lavender, Black	Blue	Red	Steel Grey	Nickel

Specifications subject to change without notice.©Fall 2005 Raleigh America, Inc.

Specifications

Model:	Mojave 5.5	Mojave 5.0	Mojave 4.5	Mojave 4.0	Mojave 2.0	Gruv 2	Gruv	Venture 5.0
Sizes:	14, 16, 18, 20, 22"	14, 16, 18, 20, 22"	M: 14, 16, 18, 20, 22" W: 16"	M: 14, 16, 18, 20, 22"	M: 12, 14, 16, 18, 20, 22" W: 12, 16, 19"	Universal	Universal	M: 16, 18, 20, 22" W: 17"
Frame:	Atomic 13 Aluminum	Atomic 13 Aluminum	Atomic 13 Aluminum	Atomic 13 Aluminum	Atomic 13 Aluminum w/Replaceable Hanger	Atomic 13 Aluminum, Custom Easy Comfort Design	Atomic 13 Aluminum, Custom Easy Comfort Design	Atomic 13 SL Butted Aluminum, Zero Stack headtube, Disc Compatible Rack Mounts
Fork:	Mantiou Trace Comp 80mm Travel w/Preload Adjust	SR XCT 75mm Travel w/Preload Adjust.	SR XCT 75mm Travel w/Preload Adjust.	SR XCT 75mm Travel w/Preload Adjust.	SR M2000 63mm Travel	SR NEX-4000, 63mm Travel, w/Preload Adjust	Chromoly 1-1/8"	SR NEX-4000, 63mm Travel, w/Preload Adjust
Shifter:	Shimano Alivio 8spd	Shimano Alivio 8spd	Shimano EZ-Fire-29 8spd	Shimano EZ-Fire-29 7spd	Shimano EZ-Fire-29 7spd	Shimano EZ-Fire-29 8spd	Shimano Revo 7spd	Shimano EZ-Fire-29 8spd
Front Derailleur:	Shimano Acera	Shimano Acera	Shimano C50	Shimano C50	Shimano Tourney	Shimano C102	N/A	Shimano C50
Rear Derailleur:	Shimano Deore	Shimano Alivio	Shimano Acera	Shimano Altus	Shimano TX-30	Shimano Acera	Shimano Altus	Shimano Alivio
Cranks:	Truvativ Blaze 22/32/42t	Truvativ ISO Flow 22/32/42t	SR Suntour XCC150 24/34/42t	SR Suntour XCC150 24/34/42t	Shimano TY33 28/38/48t	Shimano TX-71 28/38/48t	Prowheel 40t w/Double Guard	Shimano TX-71 28/38/48t
Bottom Bracket:	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Mech 8pcs	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge
Gear:	SRAM PG-830 8spd (11-32t)	SRAM PG-830 8spd (11-30t)	Shimano HG40 8spd (11-32t)	SR Suntour Power Flow (11-30t)	Shimano 7spd TZ07 (14-28t)	Shimano 8spd MegaRange (11-34t)	Shimano 7spd MegaRange (14-34t)	Shimano 8spd MegaRange (11-34t)
Chain:	Shimano IG31	Shimano IG31	Shimano IG31	KMC Z51	KMC Z51	KMC Z82	KMC Z51	KMC Z82
Hub (F):	Alloy Joytech QR 32h	Alloy Joytech QR Disc 32h	Alloy Joytech QR 32h	Alloy Joytech QR Disc 32h	Alloy Joytech QR 36h	Alloy Joytech QR 36h	Alloy Joytech QR 36h	Alloy Joytech QR Disc 32h
Hub (R):	Shimano RM30 32h Cassette	Alloy Joytech QR Disc 32h Cassette	Shimano RM30 32h Cassette	Alloy Joytech QR Disc 32h Cassette	36h Alloy Joytech QR freewheel	Shimano RM30 QR 36h Cassette	Alloy Joytech QR 36h freewheel	Alloy Joytech QR Disc 32h Cassette
Spokes:	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
Rims:	Weinmann AC-19 DW 32h	Weinmann AC-19 DW 32h	Weinmann AC-19 DW 32h	Weinmann AC-19 DW 32h	Alex R1000 36h	Alex R1000 36h	Alex R1000 36h	Weinmann AC-19 DW 32h
Pedals:	Resin Platform	Resin Platform	Resin Platform	Resin Platform	Resin Platform	Comfort Platform	Comfort Platform	Comfort Platform
Headset:	WTB Ahead 1-1/8	WTB Ahead 1-1/8	WTB Ahead 1-1/8	WTB Ahead 1-1/8	Ahead 1-1/8	Integrated 1-1/8	Integrated 1-1/8	Steel 1-1/8 Integrated
Handlebar:	Mtn Alloy 25mm Riser	Mtn Steel 25mm Riser	Mtn Steel 25mm Riser	Mtn Steel 25mm Riser	Mtn Steel 25mm Riser	Comfort Riser	Comfort Riser	Comfort Riser
Grips:	Raleigh	Raleigh	Raleigh	Raleigh	Avenir Mtn PVC	Avenir Comfort	Avenir Comfort	Avenir Comfort
Stem:	Alloy Ahead 4-Bolt, 10deg	Alloy Ahead 4-Bolt, 10deg	Alloy Ahead 4-Bolt, 25deg	Alloy Ahead 4-Bolt, 25deg	Threadless Alloy 4-Bolt, 25deg	Alloy Adjustable	Alloy Adjustable	Alloy Adjustable
Brakes:	Tektro Alloy V-brake	Hayes HMX-2 Disc	Tektro Alloy V-Brake	Promax DSK-320 Disc	Tektro Alloy V-Brake	Tektro Alloy V-Brake w/Power Modulator	Tektro Alloy V-Brake w/Power Modulator	Hayes HMX-2 Disc
Brake Levers:	Tektro V-brake	Tektro	Shimano EZ-Fire-29	Shimano EZ-Fire-29	Shimano EZ-Fire-29	Shimano EZ-Fire-29	Tektro V-Brake	Shimano EZ-Fire-29
Tires:	WTB Motoraptor 26x2.1	WTB Motoraptor 26x2.1	Kenda K881/K891 26x2.1	Kenda K881/K891 26x2.1	Kenda K850 26x1.95	Kenda Comfort w/Kshield 26x1.95	Kenda Comfort w/Kshield 26x1.95	Kenda Comfort w/Kshield 26x1.95
Seat:	WTB Speed V Comp	WTB Speed V Comp	Avenir MTB	Avenir MTB	Avenir ATB	Avenir Deluxe Comfort	Avenir Deluxe Comfort	Avenir Deluxe Comfort
Seatpost:	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy, Bootless Micro Adj Suspension 27.2 x 300mm
Extras:	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual
Color(s):	Black	Yellow	Blue, Pink	Burnt Orange/Silver	Red, Silver/Black, Light Blue	Golden Sunset, Silver	Blue	Metallic Gold

www.RaleighAmerica.com

Specifications

Model:	Venture 4.0	Venture 3.0	Venture	Coupe	Companion	Retroglide NX3	Retroglide 7	Retroglide
Sizes:	M: 14, 16, 18, 20, 22" W: 16, 19"	M: 14, 16, 18, 20, 22" W: 16, 19"	M: 16, 18, 20, 22" W: 16, 19"	16/18", 18/20"	16.5/19"	M: 18", W: 18"	M: 18", W: 16"	M: 18", W: 16"
Frame:	Atomic 13 Aluminum, Comfort Geometry, w/replaceable hanger	Atomic 13 Aluminum, Comfort Geometry, w/replaceable hanger	Atomic 13 Aluminum	Atomic 13 Aluminum Tandem	Steel/CRMO Comfort Tandem	Atomic 13 Aluminum Cruiser	Atomic 13 Aluminum Cruiser	Atomic 13 Aluminum Cruiser
Fork:	SR NEX-4000, 63mm Travel, w/Preload Adjust	SR NEX-4000, 63mm Travel, w/Preload Adjust	OS Steel Threadless	CRMO Tandem Disc, Integrated Headset	Chromoly 1-1/8	Steel Springer	Steel Cruiser	Steel Cruiser
Shifter:	Shimano EZ-Fire-29 8spd	Shimano Revo 7spd	Shimano Revo 7spd	R440 9spd	SRAM SX4 8spd	Sturmey Archer 3spd	Shimano Revo 7spd	N/A
Front Derailleur:	Shimano C50	Shimano C50	N/A	Shimano R443 FB	Shimano T401	N/A	N/A	N/A
Rear Derailleur:	Shimano Acera	Shimano TX-50	Shimano TX-30	Shimano 105	SRAM SX-5	N/A	Shimano TX-30	N/A
Cranks:	Shimano TX-71 28/38/48t	SR Suntour XCC100 28/38/48t	Prowheel 40t w/Double Guard	Truvativ Elita Tandem	Truvativ 5D Tandem 28/38/48t	1pc 46t Raleigh Heron	1pc 46t Raleigh Heron	1pc 46t Raleigh Heron
Bottom Bracket:	Sealed Cartridge	Sealed Cartridge	Sealed Mech 8pc	Truvativ ISIS	Sealed Cartridge	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball
Gear:	Shimano 8spd MegaRange (11-34t)	Shimano 7spd MegaRange (14-34t)	Shimano 7spd MegaRange (14-34t)	Shimano 6500 9spd (12-27t)	SRAM PG-830 8spd (11-34t)	22t Cog	Shimano MF-HG37 7spd(14-28t)	20t Cog
Chain:	KMC 282	KMC Z51	KMC Z51	KMC	KMC	KMC Z510	Shimano IG31	KMC Z510
Hub (F):	Alloy Joytech QR 36h	Alloy Joytech QR 36h	Alloy Joytech QR 36h	Alloy Sealed Bearing Disc 40h	Alloy QR 36h	Alloy Joytech 36h	Alloy Joytech 36h	Alloy Joytech 36h
Hub (R):	Shimano RM30 QR 36h Cassette	Alloy Joytech QR 36h Freewheel	Alloy Joytech QR 36h Freewheel	Alloy Sealed Bearing Disc 40h, Cassette	Shimano RM30 36h Cassette	Sturmey Archer Alloy Internal 3spd	Alloy Joytech Freewheel 36h	Alloy Joytech Coaster 36h
Spokes:	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Black Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
Rims:	Alex R1000 36h	Alex R1000 36h	Alex R1000 36h	Alex DM21 40h	Alex DM21 36h	Alex Zuma 36h	Alex R1000 36h	Alex Zuma 36h
Pedals:	Comfort Platform	Comfort Platform	Resin Platform	Steel w/resin body, Clips and Strap	Comfort Platform	Cruiser Platform	Cruiser Platform	Cruiser Platform
Headset:	Steel 1-1/8	Steel 1-1/8	Sealed threaded 1-1/8	WTB Zero Stack 1-1/8	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8	Steel 1-1/8
Handlebar:	Comfort Riser	Comfort Riser	Comfort Riser	Truvativ XR Flat	Steel Riser	Steel Cruiser 700x80mm	Steel Cruiser 700x80mm	Steel Cruiser 700x80mm
Grips:	Avenir Comfort	Avenir Comfort	Avenir	Raleigh	Avenir Comfort	Cruiser	Cruiser	Cruiser
Stem:	Alloy Adjustable	Alloy Adjustable	Alloy Adjustable	Truvativ XR	Steel/Alloy	Alloy Cruiser 2-bolt Clamp	Alloy Cruiser 2-bolt Clamp	Alloy Cruiser 2-bolt Clamp
Brakes:	Tektro Alloy V-brake w/Power Modulator	Tektro Alloy V-brake w/Power Modulator	Alloy V-brake	Avid BB5 disc 6" Rotors	Tektro Alloy V-brake	Coaster Brake	Tektro V 120mm	Coaster Brake
Brake Levers:	Shimano EZ-Fire-29	Tektro V-brake	Alloy 4-finger	Avid SD-7	Tektro V-brake	N/A	Tektro V-brake	N/A
Tires:	Kenda Comfort w/Kshield 26x1.95	Kenda Comfort w/Kshield 26x1.95	Kenda K841A 1.95 26x1.95	Vittoria Rondenour 700x28c	Kenda Comfort w/Kshield 26x1.95	Kenda Cruiser Whitewall 26x2.125	Kenda Cruiser Whitewall 26x2.125	Kenda Cruiser Whitewall 26x2.125
Seat:	Avenir Deluxe Comfort	Avenir Deluxe Comfort	Avenir Deluxe Comfort	WTB Speed V/Speed She	Avenir Deluxe Comfort	Raleigh Cruiser Deluxe	Raleigh Cruiser Deluxe	Raleigh Cruiser Deluxe
Seatpost:	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust Suspension 27.2 x 300mm	Alloy Micro Adjust/ Alloy Suspension	Alloy Micro Adjust/ Alloy Suspension	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust 27.2mm
Extras:	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Water bottle mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual
Color(s):	Gray/Silver, Forest Green	Chocolate/Black, Medium Blue, Sky Blue	Red/Silver, Metallic Gray, Champagne Pink/ Silver, Pearl White	Navy Blue	Wheat/Black	Retro Blue/Black	Retro Gray/Black, Retro Orange/Gray	Retro Green/ Putty, Retro Aqua/Black, Retro Red/Black, Retro Grape/ Lt.Grape

Specifications subject to change without notice. ©Fall 2005 Raleigh America, Inc.

Model:	P.U.B.	Special	Mtn Scout	Rowdy	Retro 24	Retro 20	Retro 16	MXR/Jazzi	MXR Mini/ Lil' Honey	MXR Micro/ Cupcake
Sizes:	M: 17"	M: 18", W: 16"	24" Boys/Girls	20" Boys/Girls	24" Girls	20" Girls	16" Girls	20" Boys/Girls	16" Boys/Girls	12" Boys/Girls
Frame:	Atomic 13 Aluminum Cruiser	Steel Cruiser	Aluminum OS Action Curve ATB	Aluminum OS Action Curve ATB w/replaceable hanger	24" Girls HiTen Steel Cruiser	20" Girls HiTen Steel Cruiser	16" Girls HiTen Steel Cruiser	Action Curve BMX style	16" OS Action Curve BMX HiTen Steel	12" Action Curve BMX HiTen Steel
Fork:	Steel Springer	Steel Cruiser	SR Suntour M2000, 50mm Travel	SR Suntour M2000, 30mm travel	24" HiTen Steel Cruiser	20" HiTen Steel Cruiser	16" HiTen Steel Cruiser	1" Steel Threaded	16" BMX Style HiTen	12" BMX-Style HiTen
Shifter:	N/A	N/A	Shimano Revo 7spd	Shimano Revo 6spd	N/A	N/A	N/A	N/A	N/A	N/A
Front Derailleur:	N/A	N/A	Shimano TY-32	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Rear Derailleur:	N/A	N/A	Shimano TX-30	Shimano TX-30	N/A	N/A	N/A	N/A	N/A	N/A
Cranks:	3pc Alloy 46t Raleigh Heron	1pc 46t Raleigh Heron	SR Suntour XCC100 28/38/48t	Steel 5-1/2" w/ 40t Chainring & Double Guard	6-1/2" 1pc, 36t	5-1/2" 1pc, 36t	4-1/2" 1pc, 36t	Steel One Piece 5" 40t Ring	4-1/2" 1pc, 36t	3-1/2" 0pc Steel, 28t
Bottom Bracket:	8pc Loose Ball	8pc Loose Ball	Sealed Mech Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball	8pc Loose Ball
Gear:	20t Cog	20t Cog	Shimano TZ07 7spd (14-28t)	Shimano TZ06 6spd (14-28t)	18t Cog	18t Cog	18t Cog	18t Cog	18t Cog	18t Cog
Chain:	KMC Z510	KMC Z510	KMC Z51	KMC Z51	KMC Z410	KMC Z410	KMC Z410	KMC Z410	KMC Z410	KMC Z410
Hub (F):	Alloy Joytech 36h	Alloy Joytech 36h	Alloy QR 36h	Alloy 36h Nutted	Steel 36h Nutted	Steel 36h Nutted	Steel 28h Nutted	Nutted 36h	Steel 28h Nutted	Steel 16h Nutted
Hub (R):	Alloy Joytech Coaster 36h	Alloy Joytech Coaster 36h	Alloy 36h Nutted, Freewheel	Alloy 36h Nutted, Freewheel	Steel 36h Nutted Coaster	Steel 36h Nutted Coaster	Steel 28h Nutted Coaster	Nutted 36h Coaster	Steel 28h Nutted Coaster	Steel 16h Nutted Coaster
Spokes:	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g	14g	14g
Rims:	Alex Zuma 36h	Alex Zuma 36h	Alloy 36h black	Alloy 36h black	Alloy 36h	Alloy 36h	Alloy 28h	Alloy 36h black	Alloy 28h	Alloy, 16h
Pedals:	Alloy Platform	Cruiser Platform	Resin Platform	Resin Platform	Jr. Resin Platform	Jr. Resin Platform	Jr. Resin Platform	Resin Platform	Jr Resin Platform	Jr Resin Platform
Headset:	Steel 1-1/8	Steel 1-1/8	Ahead 1-1/8	Ahead 1-1/8	1" Threaded	1" Threaded	1" Threaded	1" Threaded	1" Threaded	1" Threaded
Handlebar:	Steel Cruiser 700x80mm	Steel Cruiser 700x80mm	Steel Riser	Jr Riser 580x30mm	Steel Cruiser Style	Steel Cruiser Style	Steel Cruiser Style	Steel BMX Style	Steel BMX Style	Steel BMX Style
Grips:	Cruiser	Cruiser	Avenir Soft PVC 110mm	Avenir Soft PVC	Jr. Soft PVC	Jr. Soft PVC	Jr. Soft PVC	Soft PVC	Jr Soft PVC	Jr. Soft PVC
Stem:	Alloy Cruiser 2-bolt Clamp	Alloy Cruiser 2-bolt Clamp	Alloy Adjustable	Alloy Adjustable	Alloy 2-bolt Quill	Alloy 2-bolt Quill	Alloy 2-bolt Quill	4-bolt Alloy/ Steel Quill	4-bolt Alloy/ Steel Quill	Steel 2-bolt
Brakes:	Coaster Brake	Coaster Brake	Tektro Alloy V-brake	Tektro Alloy V-brake	Coaster Brake	Coaster Brake	Coaster Brake	Alloy V-brake	Coaster Brake	Coaster Brake
Brake Levers:	N/A	N/A	Tektro Jr. V-brake	Tektro Jr. V-brake	N/A	N/A	N/A	Alloy Adjustable	N/A	N/A
Tires:	Kenda Cruiser 26x2.25	Kenda Cruiser 26x2.125	MTB 24x1.95	MTB 20x1.95	Cruiser Whitewall 24x2.125	Cruiser Whitewall 20x2.125	Cruiser Whitewall 16x2.125	Comp III Style 20x2.125	Comp III Style 16x2.125	Comp III Style 12x2.125
Seat:	Raleigh Cruiser Deluxe	Raleigh Cruiser	Raleigh Jr. Mtn	Raleigh Jr. Mtn	Jr. Cruiser w/ Steel Springs	Jr. Cruiser w/ Steel Springs	Jr. Cruiser w/ Steel Springs	Jr. BMX Padded	Jr. BMX Padded	Jr. BMX Padded
Seatpost:	Alloy Micro Adjust 27.2mm	Alloy Micro Adjust	Alloy Pillar 27.2 x300	Steel Pillar 27.2x300mm	Steel Pillar 25.6	Steel Pillar 25.6	Steel Pillar 25.6	Steel Pillar 25.4x300mm	Steel Pillar 25.4	Steel Pillar 25.4
Extras:	Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual	Rack & Fender mounts, Cateye reflector set, Clear Coat, Owner's Manual	Cateye Reflectors Set, Chain Guard, Clear Coat, Owner's Manual	Cateye Reflectors Set, Chain Guard, Clear Coat, Owner's Manual	Custom Matched Fenders and Chainguard, Cateye Reflector Set, Clear Coat, Owner's Manual	Custom Matched Fenders and Chainguard, Cateye Reflector Set, Clear Coat, Owner's Manual	Training wheels w/Steel Bushing, Fenders, Cateye reflector set, Clear Coat, Owner's Manual	Logo Pad Set, Painted Chainguard, Fenders, Cateye reflector set, Clear Coat, Owner's Manual	Heavy Duty Training Wheels, Logo Pad Set, Painted Chainguard, Fenders, Cateye reflector set, Clear Coat, Owner's Manual	Heavy Duty Training Wheels, Logo Pad Set, Painted Chainguard, Fenders, Cateye reflector set, Clear Coat, Owner's Manual
Color(s):	Stout	Retro Black, Retro Rose	Iris, Black	Blue/Black, Pink/Black	Lavender	Tangerine	Pink	Chrome, Fire Red, Purple, Teal	Blue, Chrome, Yellow, Berry Violet	Fire Orange, Pink

www.RaleighAmerica.com

Raleigh America is proud to be a member of Bikes Belong, a national coalition of bicycle suppliers and retailers working together to put more people on bicycles more often. Through national leadership, grassroots support, and promotion, we work to make bicycling safe, convenient, and fun.

We're working together to guarantee that future generations continue to enjoy the many benefits of cycling.



Thanks, from all of us and enjoy the ride!



RALEIGH bicycles are distributed by Raleigh America, Inc.

Raleigh America, Inc., Bicycle Limited Warranty

It is the owner's responsibility to thoroughly read and understand the owner's manual and regularly examine the product to determine the need for professional, authorized service or replacement. Please consult an authorized Raleigh America, Inc., bicycle dealership with any questions on use and maintenance. Regardless of the length of the warranty, Raleigh America, Inc., does not infer that the bicycle will last forever or cannot be broken. All Raleigh framesets and bicycles have a finite, limited useful product life cycle. The length of this useful life cycle will vary by environment, riding conditions, frame material and construction, riding style, maintenance, and the amount as well as type of use the bicycle or frame is subjected to. A worn out bicycle does not indicate it is warrantable, rather that the bicycle has outlived (exceeded) its useful product cycle.

Raleigh America, Inc., warrants this new Raleigh America, Inc., bicycle frame against defects in material and workmanship, subject to the following limitations, terms, and conditions:

Item	Warranty Term Length
Steel bicycle frames with wheel size less than 20"	Lifetime, for as long as the original retail purchaser owns the bicycle*
Steel bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Alloy bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Full Carbon Fiber or Carbon fiber/alloy bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Full Suspension bicycle frames	Five years from the date of original retail purchase to the original purchaser*
Forks, Non-branded	Five years from the date of original retail purchase
Forks, Branded	Covered under the fork manufacturer's warranty. Consult dealer for details.
Components, Non-branded	One year from the date of original retail purchase
Components, Branded	Covered under the component manufacturer's warranty. Consult dealer for details.
Finish and decals	One year from the date of original retail purchase
Suspension parts including but not limited to bushings, pivot bearings, link plates, bolts, fasteners, chain stays, seat stays, and shock units	One year from the date of original retail purchase under the condition that the bicycle is regularly maintained as well as operated under normal riding conditions
Labor, frame replacement	One year from the date of original retail purchase
Labor, parts replacement	Thirty days from the date of original retail purchase

1. This warranty only applies to the original retail purchaser and is not transferable.
2. Specific model exceptions to this warranty are noted with the bicycle documentation.
3. Raleigh America, Inc.'s sole obligation during the acceptable duration of this warranty is, AT RALEIGH AMERICA, INC.'S OPTION, to repair or replace the product with a current item that is equivalent in construction, design, or value.
4. Raleigh America, Inc.'s liability under this limited warranty shall never exceed the amount of the original purchase.

To obtain service under this warranty, you must:

1. Return your fully assembled Raleigh America, Inc., bicycle to an authorized Raleigh America, Inc., bicycle dealer within the United States of America. A bicycle that has had the components removed cannot be evaluated or warranted.
- *2. Provide proof of purchase, including but not limited to the retail bill of sale, your credit or debit card receipt, or other satisfactory proof of the date of purchase.
3. The proof of purchase must indicate the bicycle was sold fully assembled and adjusted by an authorized Raleigh America, Inc., dealer within the United States of America. Sales where the bicycle was delivered in a carton to the end user (e.g., mail order or Internet sales) void the warranty.

This warranty does not apply to damage or failure due to:

1. Accidents, alteration, abuse, neglect.
2. Materials fatigue, normal wear and tear.
3. Improper assembly, maintenance, or installation of parts or accessories not originally intended to be compatible with the bicycle as sold, including but not limited to power assist accessories, forks, brakes, or tires different from original specification.

This warranty also excludes:

1. Commercial use, racing or competition, stunting, jumping, trick riding, ramp riding, aggressive riding, riding with excessive loads, lack of technical skill, competence, or experience of the user.
2. Bicycle frames, which have been repaired (e.g. welded or bonded), repainted, or had the original decals removed.
3. Frames, forks, wheels, axles, handlebars, and stems, which are bent from just riding along, can be a sign of misuse or abuse and are not covered under this warranty.
4. Personal transportation costs or product freight costs to or from an authorized Raleigh America, Inc., bicycle dealer.
5. Any additional costs associated with the incompatibility of existing parts and the replacement frame or fork.

Warranty replacement frames must be fully assembled by an authorized dealer to maintain the warranty coverage. The warranty for the replacement frame shall be the warranty offered for the equivalent bicycle's frame of that model year. If not assembled by the dealer, replacement frames are considered aftermarket frames. Aftermarket frames are only warranted for one year from the date of purchase for the original purchaser. This one-year warranty excludes any issues that can be traced to assembly or component incompatibility.

This warranty is expressly in lieu of all other warranties, and any implied warranties of merchantability or fitness for a particular purpose created hereby, are limited to the same duration as the express warranty herein. Raleigh America, Inc. shall not be liable for any incidental or consequential damages. Some states do not allow the exclusion or limitations of implied warranties, incidental or consequential, so the above limitations and exclusions may not apply to you. Retailers and wholesale outlets for Raleigh America, Inc., products are not authorized to modify this warranty in any way. This warranty gives the original owner specific legal rights. Other additional rights may vary from state to state.

All Raleigh bicycles meet or exceed CPSC standards. Complete equipment is included with each Raleigh bicycle but not necessarily shown in photographs, e.g. reflectors. All Raleigh bicycles are covered under warranty. See your authorized Raleigh dealer for complete details. Raleigh specifications are subject to change without prior notice. Raleigh is a registered trademark of the Raleigh Cycle Limited.

WARNING: All riders depicted in this catalog are professionals. Do not attempt to duplicate any actions that are beyond your abilities. ALWAYS WEAR A HELMET!



Authorized Raleigh Dealer:

Raleigh America, Inc.
6004 S. 190th Street, Suite 101
Kent, WA 98032 USA - Phone: 253-395-1100

www.RaleighAmerica.com



© 2005 Raleigh America, Inc. Part #96-06-502

Photography: 
EARL HARPER STUDIOS